

# **TMForum Specification**

# Service Activation and Configuration API Conformance Profile

TMF640B Release 18.5.0 January 2019

Release: TM Forum Release 18.5.0	Member Evaluation
Version: 3.0.0	IPR Mode: RAND



### NOTICE

Copyright © TM Forum 2019. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the TM FORUM IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

4 Century Drive, Suite 100 Parsippany, NJ 07054, USA Tel No. +1 973 944 5100 Fax No. +1 973 998 7916

TM Forum Web Page: www.tmforum.org



# TABLE OF CONTENTS

NOTICE	2
Table of Contents	3
List of Tables	4
Introduction	5
API DESCRIPTION	6
RESOURCE MODEL CONFORMANCE	7
Service Activation and Configuration API MANDATORY AND OPTIONAL RESOURCES	7
Service Activation and Configuration resource MANDATORY AND OPTIONAL ATTRIBUTES	7
API OPERATIONS CONFORMANCE	10
Service Activation and Configuration MANDATORY AND OPTIONAL OPERATIONS	10
API GET FILTERING OPERATION CONFORMANCE	11
Filtering in Service Activation and Configuration resource	11
GET /serviceActivationAndConfiguration/service	13
GET serviceActivationAndConfiguration/service/{serviceId}	14
API CONFORMANCE TEST SCENARIOS	15
Service Activation and Configuration resource TEST CASES	15
Acknowledgements	20
DOCUMENT History	20
Version History	20
Release History	20
Contributors to Document	20



# LIST OF TABLES

N/A.



# **INTRODUCTION**

The following document is the REST API Conformance for the Service Activation and Configuration API.



# API DESCRIPTION

The intent of this API is to provide a consistent/standardized mechanism to query and manipulate the Service Activation and Configuration.

This API allows the following operations

- Retrieve a list of Service Activation and Configuration stored in a server filtered by a given criteria
- Retrieve a specific Service Activation and Configuration



# RESOURCE MODEL CONFORMANCE

## **Service Activation and Configuration API MANDATORY AND OPTIONAL RESOURCES**

Resource Name	Mandatory or Optional	Comments
Service	М	Only GET operation

Because POST, PATCH and DELETE operation are only for admin user in very limited UC there are no mandatory for this API

# Service Activation and Configuration resource MANDATORY AND OPTIONAL ATTRIBUTES

The following table list service attribute rule for the GET response (attribute stated as mandatory must be available in GET response)

Attribute Name	Mandatory or Optional	Comments
id	M	
href	M	
name	M	
description	M	
type	0	
state	M	
category	M	
serviceType	0	
isServiceEnabled	0	
hasStarted	0	
startMode	0	
isStateful	0	
serviceDate	0	
startDate	M	



Attribute Name	Mandatory or Optional	Comments
endDate	0	
@type	0	
@schemaLocation	0	
@baseType	0	
serviceOrder	0	Array of serviceOrder
serviceRelationship	М	Array of service relationship(s)
relationshipType	M	
service	М	id and href are mandatory
@schemaLocation	0	
@type	0	
@baseType	0	
characteristic	M	Array of service characteristic
name	0	
valueType	M	
value	M	
@baseType	0	
@schemaLocation	0	
@type	0	
supportingService	M	Array of supporting service
id	M	
href	M	
name	0	
category	0	
supportingResource	M	Array of supporting resource
id	M	
href	M	
role	0	
name	0	
category	0	
serviceSpecification	М	A service specification
id	М	
href	M	



Attribute Nam	ne	Mandatory or Optional	Comments
name		0	
versio	n	M	
targets	ServiceSchema	0	
note		0	Array of Note
relatedParty		M	Array of related party
id		M	
href		M	
role		M	
name		0	
@base	еТуре	0	
@sche	emaLocation	0	
@type	!	0	
@refe	rredType	0	
place		M	Array of place
id		М	
href		М	
name		0	
role		0	
@base	еТуре	0	
@sche	emaLocation	0	
@type		0	



# API OPERATIONS CONFORMANCE

For every single resource use the following templates and define what operations are optional and what operations are mandatory.

# **Service Activation and Configuration MANDATORY AND OPTIONAL OPERATIONS**

Uniform API Operation	Mandatory/Optional	Comments
GET	М	GET must be used to retrieve a representation of a resource
POST	М	



# API GET FILTERING OPERATION CONFORMANCE

#### **Definitions**

**Filtered Search:** A filtered search can be applied using query parameters in order to obtain only the resource entities that meet the criteria defined by the filtering parameters included in the query request. Several elements can be applied to the filtered search. In that case logic, a logical AND is applied to combine the criteria (e.g.:?name=<value> &owner.id=<value>)

**Filtered Response Data (Response Attribute selection):** In order to apply a filter and limit the number of attributes included in the response, the GET request can include the "?fields=" query parameter. Several elements can be applied to the filter. In that case, a logical AND is applied to combine the values (e.g.:?fields=name,description will provide in the response only the values assigned to attributes name and description). Attribute selection capabilities are the same for collections retrieval and individual resource queries

#### **Filtering in Service Activation and Configuration resource**

Attribute name	Filtered search First Level	Filtered search N Level	Response Attribute Selection First Level	Response Attribute Selection N Level
id	М	М	М	М
href	NA	NA	0	0
name	0	NA	М	NA
description	0	NA	М	NA
type	М	NA	М	NA
state	М	NA	М	NA
category	0	NA	0	NA
isServiceEnabled	0	NA	0	NA
hasStarted	0	NA	0	NA
startMode	0	NA	0	NA
isStateful	0	NA	0	NA
serviceDate	0	NA	0	NA
startDate	0	NA	0	NA
endDate	О	NA	0	NA
serviceOrder				
id	0	NA	0	0



Attribute name	Filtered search First Level	Filtered search N Level	Response Attribute Selection First Level	Response Attribute Selection N Level
href	NA	NA	0	NA
serviceOrderItem	0	NA	0	NA
serviceRelationship	1			
type	0	NA	0	NA
service	0	NA	0	NA
@baseType	0	NA	0	NA
@schemaLocation	0	NA	0	NA
@type	0	NA	0	NA
characteristic	1			
name	0	NA	0	NA
valueType	0	NA	0	NA
value	0	NA	0	NA
@baseType	0	NA	0	NA
@schemaLocation	0	NA	0	NA
@type	0	NA	0	NA
supportingService	1			
id	0	NA	0	NA
href	NA	NA	0	NA
name	0	NA	0	NA
category	0	NA	0	NA
supportingResource				
id	0	NA	0	NA
role	0	NA	0	NA
href	NA	NA	0	NA
name	0	NA	0	NA
serviceSpecification				
id	0	NA	0	NA
href	NA	NA	NA	NA
version	0	NA	0	NA
name	О	NA	0	NA



Attribute name	Filtered search First Level	Filtered search N Level	Response Attribute Selection First Level	Response Attribute Selection N Level
note			<u> </u>	
date	NA	NA	NA	NA
author	NA	NA	NA	NA
text	NA	NA	NA	NA
relatedParty				
id	0	NA	0	0
href	NA	NA	NA	NA
role	0	NA	0	0
name	0	NA	0	NA
@baseType	0	NA	0	NA
@schemaLocation	0	NA	0	NA
@type	0	NA	0	NA
@referredType	0	NA	0	NA
place				
id	0	NA	0	NA
href	NA	NA	NA	NA
role	0	NA	0	NA
name	0	NA	0	NA
@baseType	0	NA	0	NA
@schemaLocation	0	NA	0	NA
@type	0	NA	0	NA

# ${\bf GET\ / service Activation And Configuration / service}$

**Providing filtering criteria is mandatory** to avoid too many answers retrieved. See example below:

- description
- relatedParty.id
- category + state
- supportingResource.id
- ...



**Filtered Response Data:** A filtered response can be requested for the attributes using the "?fields=" query parameter

- Any of the attributes in the first level of Service resource definition

#### **GET serviceActivationAndConfiguration/service/{serviceId}**

**Filtered Response Data:** A filtered response can be requested for the following attributes using the "?fields=" query parameter

- Any of the attributes in the first level of Service resource definition



## API CONFORMANCE TEST SCENARIOS

This section describes the test scenarios required for the basic CONNECT certification of Service Activation and Configuration API.

Test Cases must be executed in the order defined for each resource because the result from one of the scenarios will be input for the next one.

Requests must be addressed to the endpoint provided for certification, specifically they must be addressed to the URI defined by the concatenation of the {apiRoot} and the specific resource, where the {apiRoot} is defined as **{serverRoot}/location**, being {serverRoot} the certification endpoint

#### **Service Activation and Configuration resource TEST CASES**

#### **Nominal Scenarios**

#### TC\_ServiceActivation\_N1 - Post 2 Services

```
{
        "serviceType": "Cloud",
        "name": "vCPE serial 1355615",
        "description": "Instantiation of vCPE",
        "state": "feasibilityChecked",
        "category": "CFS",
        "isServiceEnabled": true,
        "hasStarted": true,
        "startMode": "1",
        "isStateful": true,
        "serviceDate": "2018-01-15T12:26:11.747Z",
        "startDate": "2018-01-15T12:26:11.747Z",
        "serviceSpecification": {
            "id": "1212",
            "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v3/serviceSpecification/1212",
            "name": "vCPE",
            "version": "1.0.0",
            "@referredType": "vCPE"
        },
        "serviceCharacteristic": [
                "name": "vCPE IP",
                "valueType": "object",
                "value": {
                     "@type": "IPAddress",
```



```
"@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/IPAddress.schema.json",
                    "address": "193.218.236.21"
                }
            }
        ],
        "serviceRelationship": [
                "relationshipType": "DependentOn",
                "service": {
                    "href": "https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/5645",
                    "id": "5645",
                    "@referredType": "vOS"
                }
            }
        "supportingService": [
                "href": "https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/5885",
                "id": "5885",
                "@referredType": "vJavaVM"
            }
        ],
        "supportingResource": [
                "id": "6161",
                "href": "https://mycsp.com:8080/tmf-
api/resourceInventoryManagement/v3/resource/https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/5351",
                "name": "GenInfra",
                "@referredType": "Infra"
            },
                "id": "7171",
                "href": "https://mycsp.com:8080/tmf-
api/resourceInventoryManagement/v3/resource/https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/7171",
                "name": "BNG MUX",
                "@referredType": "MUX"
            }
        ],
        "relatedParty": [
            {
                "href": "mycsp.com:8080/tmf-api/partyManagement/v3/party/456",
                "id": "456",
```



```
"name": "John Doe",
                 "role": "user"
             }
        ],
        "serviceOrder": [
                 "href": "https://mycsp.com:8080/tmf-
api/serviceOrderManagement/v3/serviceOrder/42",
                 "id": "42",
                 "serviceOrderItemId": "1"
             }
        ],
        "place": [
             {
                 "href": "https://mycsp.com:8080/tmf-
api/addressManagement/v3/place/2435",
                 "id": "2435",
                 "name": "Customer primary location",
                 "role": "InstallationAddress"
             }
        ],
        "note": [
             {
                 "author": "Jean Pontus",
                 "date": "2018-01-15T12:26:11.748Z",
                 "text": "This service was installed automatically, no issues were
noted in testing."
             }
        ],
        "@type": "vCPE",
        "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/vCPE.schema.json",
        "@baseType": "Service"
    }
     The second POST message is:
      {
          "serviceType": "CFS",
          "name": "Nice Service",
          "description": "CFS",
          "state": "active",
          "category": "CFS",
          "isServiceEnabled": true,
          "hasStarted": true,
          "startMode": "1",
          "isStateful": true,
```



```
"serviceDate": "2018-01-15T12:26:11.747Z",
    "startDate": "2018-01-15T12:26:11.747Z",
    "serviceSpecification": {
      "id": "1212",
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v3/serviceSpecification/1212",
      "name": "vCPE",
      "version": "1.0.0",
      "@referredType": "vCPE"
    },
    "serviceCharacteristic": [
        "name": "vCPE_IP",
        "valueType": "object",
        "value": {
          "@type": "IPAddress",
          "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/IPAddress.schema.json",
          "address": "193.218.236.21"
        }
      }
    ],
    "serviceRelationship": [
        "relationshipType": "DependentOn",
        "service": {
          "href": "https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/5645",
          "id": "5645",
          "@referredType": "vOS"
        }
      }
    ],
    "supportingService": [
        "href": "https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/5885",
        "id": "5885",
        "@referredType": "vJavaVM"
      }
    ],
    "supportingResource": [
      {
```



```
"id": "6161",
        "href": "https://mycsp.com:8080/tmf-
api/resourceInventoryManagement/v3/resource/https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/5351",
        "name": "GenInfra",
        "@referredType": "Infra"
      },
      {
        "id": "7171",
        "href": "https://mycsp.com:8080/tmf-
api/resourceInventoryManagement/v3/resource/https://mycsp.com:8080/tmf-
api/serviceInventoryManagement/v3/service/7171",
        "name": "BNG_MUX",
        "@referredType": "MUX"
      }
    ],
    "relatedParty": [
      {
        "href": "mycsp.com:8080/tmf-api/partyManagement/v3/party/456",
        "id": "456",
        "name": "John Doe",
        "role": "user"
      }
    ],
    "serviceOrder": [
      {
        "href": "https://mycsp.com:8080/tmf-api/serviceOrderManagement/v3/serviceOrder/42",
        "id": "42",
        "serviceOrderItemId": "1"
      }
    ],
    "place": [
      {
        "href": "https://mycsp.com:8080/tmf-api/addressManagement/v3/place/2435",
        "id": "2435",
        "name": "Customer primary location",
        "role": "InstallationAddress"
      }
    ],
    "note": [
        "author": "Jean Pontus",
        "date": "2018-01-15T12:26:11.748Z",
```

}



```
"text": "This service was installed automatically, no issues were noted in testing."
}
],
"@type": "vCPE",
"@schemaLocation": "https://mycsp.com:8080/tmf-api/schema/Service/vCPE.schema.json",
"@baseType": "Service"
```

- Send a GET message to /{apiRoot}/serviceActivationAndConfiguration/service/{ID1}
- Wait for a response from the server with the following characteristics
  - Response Code 200-OK
  - The body of the response includes one service resource referring to {ID1}
  - The response message includes all mandatory parameters
  - The body of the response for the resource with identifier {ID1} matches the values described above

#### TC\_ServiceActivation\_N2 - Search for Service with specific characteristics

- Send a GET message to /{apiRoot}/serviceActivationAndConfiguration/service/?category=Cloud
- Wait for a response from the server with the following characteristics
  - Response Code 200-OK
  - The body of the response includes two service resources, referring to {5351} and {11}
  - The body of the response for the resource with each identifier matches the values in the corresponding original request
- Send a GET message to /{apiRoot}/serviceActivationAndConfiguration/service/?state=Active
- Wait for a response from the server with the following characteristics
  - Response Code 200-OK
  - The body of the response includes one service resource, referring to {5351}
  - The response message includes all mandatory parameters



- The body of the response for the resource with identifier {5351} matches the values in the original request
- Send a GET message to /{apiRoot}/serviceActivationAndConfiguration/service/?description=NiceServiceToo
- Wait for a response from the server with the following characteristics
  - Response Code 200-OK
  - The body of the response includes one service resource, referring to {11}
  - The response message includes all mandatory parameters
  - The body of the response for the resource with identifier {11} matches the values in the original request

#### TC\_ServiceActivation\_N3 - Filtered retrieval of service data

- Send a GET message to /{apiRoot}/ serviceActivationAndConfiguration/service/{11}?fields=name,state
- Wait for a response from the server with the following characteristics
  - Response Code 200-OK
  - The body of the response includes one servicen resource, referring to {11} and including only attributes *name* and *state*, matching the values in the original request

Notice that this test case is using parameters " name" and "state" to filter the data included in the response but any other parameter could be used

#### TC\_ServiceActivation\_N4 – Filtered Search and Filtered data response

- Send a GET message to /{apiRoot}/serviceActivationAndConfiguration/service//?state=Active&fields= id,href
- Wait for a response from the server with the following characteristics
  - Response Code 200-OK



- The body of the response includes one service resource, referring to {5351}
- The body of the response for the resource with each identifier includes only attributes id and href, matching the values in the corresponding original request

Notice that this test case is using parameters "id" and "href" to filter the data included in the response but any other parameter could be used

#### **Error Scenarios**

#### TC\_ServiceActivation\_E1 – Unknown Service

- Send a GET message to /{apiRoot}/serviceActivationAndConfiguration/service/{8}, where {8} does
  not match any of the identifiers previously created in the server
- Wait for a response from the server with the following characteristics
  - o Response Code 404-Not Found



# **ACKNOWLEDGEMENTS**

#### **DOCUMENT HISTORY**

### **Version History**

Release Number	Date	Release led by:	Description
Version 3.0	13-May-2019	Henrique Rodrigues	Update for R18.5

## **Release History**

Release Number	Date	Release led by:	Description
Release 18.5.0	13-May-2019	Henrique Rodrigues	First Release of Draft version of the Document

# **CONTRIBUTORS TO DOCUMENT**

Не	enrique Rodrigues	TM Forum