



Frameworx Specification

Product Inventory Management API REST Specification

TMF637 Release 14.5.1 June 2015

Latest Update: Frameworx Release 14.5	TM Forum Approved
Version 2.0.1	IPR Mode: RAND



NOTICE

Copyright © TM Forum 2015. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the TM FORUM IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

TM FORUM invites any TM FORUM Member or any other party that believes it has patent claims that would necessarily be infringed by implementations of this TM Forum Standards Final Deliverable, to notify the TM FORUM Team Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this deliverable.

The TM FORUM invites any party to contact the TM FORUM Team Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this TM FORUM Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this TM FORUM Standards Final Deliverable. TM FORUM may include such claims on its website, but disclaims any obligation to do so.

TM FORUM takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this TM FORUM Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on TM FORUM's procedures with respect to rights in any document or deliverable produced by a TM FORUM Collaboration Project Team can be found on the TM FORUM website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this TM FORUM Standards Final Deliverable, can be obtained from the TM FORUM Team Administrator. TM FORUM makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

Direct inquiries to the TM Forum office:



240 Headquarters Plaza, East Tower – 10th Floor, Morristown, NJ 07960 USA Tel No. +1 973 944 5100 Fax No. +1 973 944 5110

TM Forum Web Page: www.tmforum.org



TABLE OF CONTENTS

NOTICE2	2
Table of Contents	1
_ist of Tables5	5
ntroduction6	3
RESOURCE MODEL	7
PRODUCT Resource	7
Field Descriptions	8
Status attribute	9
State machine diagram for status attribute on product	10
Notification Resource Models	13
ProductCreationNotification	13
ProductValueChangeNotification	14
ProductStatusChangeNotification	14
ProductDeletionNotification	15
ProductBatchNotification	15
API OPERATION TEMPLATES17	7
GET /inventoryApi/product/{ID}	17
PUT inventoryApi/product/{ID}	18
PATCH inventoryAPI/product/{ID}	20
POST inventoryAPI/product	21
DELETE inventoryApi/product/{ID}	22
API NOTIFICATIOn TEMPLATES24	1
REGISTER LISTENER POST /hub	24
UNREGISTER LISTENER DELETE hub/{id}	24
publish {EventTYPE} POST /listener	25
Pologo History	26



LIST OF TABLES

N/A



INTRODUCTION

The following document is the template for the REST API documentation.



RESOURCE MODEL

PRODUCT Resource

```
"id": " 42",
"href": "http://server:port/inventoryApi/product/42",
"name": "Broadband",
"description": "Description of the instantiated broadband product",
"status": "active",
"isCustomerVisible": true,
"isBundle": true,
"productSerialNumber": "Not useful in this case, we are describing a service...",
"startDate": "2013-07-21 08:16:39ZGMT+1",
"orderDate": "2013-07-21 06:16:39ZGMT+1",
"terminationDate": "",
"productOffering":
    "id": "4".
    "href": "http://server:port/catalogApi/productOffering/4",
    "name": "My Quick BB Offer"
"productSpecification":
    "id": "4",
    "href": " http://server:port/catalogApi/ productSpecification /42"
"productCharacteristic":[
    "name": "speed",
    "value":"16M"
"productRelationship":[
     "type": "contains",
     "product":{
          "id": "59",
          "href": http://server:port/inventoryApi/product/59"
}],
"billingAccount": [
     "id": "678",
    "href": http://server:port/billingApi/billingAccount/678",
    "name": "account name"
}],
```



```
"relatedParty": [
     "id": "42",
    "role":"partner",
   "href": "http://serverlocation:port/partnerManagement/partner/42"
}],
"place":"http://map.google.com/.../1234112GDE",
"realizingResource": [
     "id": "not useful in this case, we are describing a service...",
     "href": "not useful in this case, we are describing a service..."
}],
"realizingService": [
     "id": "46779",
     "href": "http://server:port/inventoryApi/service/46779"
"productPrice": [{
  "name": "...",
  "description": "".
  "validFor":{
       "startDateTime":"2013-04-19T16:42:23-04:00",
       "endDateTime":"2013-06-19T00:00:00-04:00"
  },
  "priceType": "recurring",
  "recurringChargePeriod": "monthly",
  "unitOfMeasure":"",
  "price":{
       "amount":"12",
       "currency":"$"
}]
```

FIELD DESCRIPTIONS


Field Name	Mandatory/	Description
	Optional	
Id	M	"id" is the ID created for the product
Name	М	"name" is the name of the product. It could be the same as the name of the Product Offering
Description	0	"description" is the description of the product. It could be copied from the description of the Product Offering.



Status	М	"status" is the lifecycle status of the product.	
isBundle	М		
isCustomerVisible	М		
productSerialNumber	0	"productSerialNumber" is the serial number for the product. This is typically applicable to tangible products e.g. Broadband Router.	
startDate	0	"startDate" is the date from which the product starts	
orderDate	0	"orderDate" is the date when the product was ordered.	
terminationDate	0	"terminationDate" is the date when the product was terminated. Not applicable to active products.	
productOffering	М	"productOffering" is a link to the product offering.	
productSpecification	0	"productSpecification" is a link to the product specification. It may be useful to manage links directly to the ProductSpec, when the product is a non-bundle one you may not manage the ProductOffering link with this Product.	
productCharacteristics	0	"productCharacteristics" is a list of name value pairs to list the various relevant characteristics of the instantiated product.	
productRelationships	0	"productRelationships" is a collection of a number of types of relationships between the product e.g bundle.	
		The value of the 'type' attribute should describe the direction of the relationship. E.g. "isContainedIn"	
billingAccount	0	"billingAccount" is a link to the billing account on which the product is billed. This is optional because in some cases the parent is billed and not all the children.	
relatedParties	0	"relatedParties" is a link to collection of parties. Each party will contain a role and a link.	
agreementItem	0	"agreementItem" is a link to the agreement item for the product. Agreement item will contain the terms and conditions for the product including the product term.	
Place	0	"place" is a link to the place where the product is provided.	
Service	0	"service" is a link to the service that realizes the product.	
Resource	0	"resource" is a link to the resource that realizes the product.	
productPrice	0	"productPrice" is a collection of all applicable prices for the product, it's an override of the default one specified in the ProductOffering.	
-name			
-description			
-valid for			

STATUS ATTRIBUTE

The status attribute is used by a state machine through the different lifecycle stages for the product records. Valid status values are:






Status code	Description	
created	No identified status yet - newly injected into the target system	
pending active	Prepared, but not active for customer yet	
aborted	Activation aborted for technical / internal reasons	
cancelled	Activation aborted by customer / legal request	
active	Active for customer use of product	
pending terminate	To be terminated, but still in use	
terminated	No longer active for customer	From this status on, the ratedProductUsage collection will have a values
suspended	Temporary suspension, not usable for customer, typically because of barring caused by payment / dunning issues or customer request	


STATE MACHINE DIAGRAM FOR STATUS ATTRIBUTE ON PRODUCT





UML Model:







Notification Resource Models

PRODUCT CREATION NOTIFICATION

Used to notify that a product entry was created in the inventory

```
"event": {
    "id": "http://server:port/inventoryApi/product/42",
    "name": "Broadband",
    "description": "Description of the instantiated broadband product",
    "status": "active",
    "isCustomerVisible": true,
    "isBundle": true.
    "startDate": "2013-07-21 08:16:39ZGMT+1",
    "orderDate": "2013-07-21 06:16:39ZGMT+1",
    "productOffering":
         "href": "http://server:port/catalogApi/productOffering/4",
         "name": "My Quick BB Offer"
     "productSpecification":
          "href": "http://server:port/catalogApi/productOffering/4"
     "productCharacteristics":[
          "name": "speed",
         "value":"16M"
     "productRelationships":[
          "type": "contains",
          "product":{
               "id":" http://server:port/inventoryApi/product/59"
     }],
    "billingAccount":
         "id": "http://server:port/billingApi/billingAccount/678"
     "relatedParties": [
         "role":"partner",
        "reference": "http://serverlocation:port/partnerManagement/partner/42"
     }],
```



```
"realizingServices": [
        "id": "46779",
        "href": "http://server:port/inventoryApi/service/46779"
    "productPrice" : [{
      "name": "...",
     "description": ""
     "validFor":{
          "startDateTime": "2013-04-19T16:42:23-04:00",
          "endDateTime":"2013-06-19T00:00:00-04:00"
     "priceType": "recurring",
     "recurringChargePeriod": "monthly",
     "unitOfMeasure":"",
     "price":{
          "amount":"12",
          "currency":"$"
    }]
},
"eventType": "productCreationNotification"
```

PRODUCTVALUECHANGENOTIFICATION

Used to notify that a product entry was modified in the inventory

```
"event": {
    "id": "42",
    "href": "http://server:port/inventoryApi/product/42",
    "productCharacteristics":[
    {
        "name":"speed",
        "value":"32M"
    }]
    },
    "eventType": "productValueChangeNotification"
}
```



Used to notify that a product entry status has changed in the inventory

```
"event": {
    "href": "http://server:port/inventoryApi/product/42",
    "status": "active"
},
    "eventType": "productStatusChangeNotification"
}
```

PRODUCT DELETION NOTIFICATION

Used to notify that a product entry was removed from the inventory

```
"event": {
    "id": "http://server:port/inventoryApi/product/42",
    },
    "eventType": "ProductDeletionNotification"
}
```

PRODUCT BATCH NOTIFICATION

Used to notify that one or many changes appeared in the inventory concerning a specific party, this (these) change(s) being the result of a specific business interaction.



```
],
"reason": "Contract Termination",
"details": {
    "name": "",
    "value": ""
}
"eventType": "ProductTransactionNotification"
}
```



API OPERATION TEMPLATES

For every single of operation on the entities use the following templates and provide sample REST requests and responses.

Remember that the following Uniform Contract rules must be used:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource For reconciliation processes
Complete Update of an Entity	PUT Resource	PUT must be used to completely update a resource identified by its resource URI
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource

Filtering and attribute selection rules are described in the TMF REST Design Guidelines.

Notifications are also described in a subsequent section.

GET /inventoryApi/product/{ID}

This Uniform Contract operation is used to retrieve the representation of a product inventory.

Note that collections can be retrieved via GET /inventoryApi/product with no {ID}

Description:



- Allows to retrieve product inventory content
- · Filtering is enabled on all attributes and field selection also
- The resource is a managed entity.
- The identifier is an hyperlink

Behavior:

Returns HTTP/1.1 status code 200 if the request was successful.

<u>Case</u>: Querying the product inventory to retrieve an overview of all the top level products for a given customer

REQUEST

GFT

/inventoryApi/product/?relatedParties.role=customer&relatedParties.reference=42&isTopLevel=true&fields=name, description, status

Accept: application/json

RESPONSE

```
200
```

Content-Type: application/json

```
[{
    "id": "42",
    "href": "http://server:port/inventoryApi/product/42",
    "name": "Broadband",
    "description": "Description of the instantiated broadband product",
    "status": "active"
}, {
    "id": "55",
    "href": "http://server:port/inventoryApi/product/55",
    "name": "Mobile data access",
    "description": "Description of the instantiated broadband product",
    "status": "active"
}]
```

PUT INVENTORYAPI/PRODUCT/{ID}

This Uniform Contract operation is used to completely update the representation of a product.

Description:

- Replaces a product entry inside the inventory
- The resource is a managed entity

Behavior:

Returns HTTP/1.1 status code 201 if the request was successful.



Standard error codes in case of errors.

REQUEST

```
PUT inventoryApi/product/42
Content-type: application/json
 "id": "42".
  "href": "http://server:port/inventoryApi/product/42",
  "name": "Broadband",
  "description": "Description of the instantiated broadband product",
  "status": "active",
  "startDate": "2013-07-21 08:16:39ZGMT+1",
  "orderDate": "2013-07-21 06:16:39ZGMT+1",
  "terminationDate": "",
  "productOffering":
       "id": "4".
       "href": "http://server:port/catalogApi/productOffering/4",
       "name": "My Quick BB Offer"
  "productSpecification":
       "id": " http://server:port/catalogApi/productOffering/4"
  "productCharacteristics":[
       "name": "speed",
       "value":"16M"
  "productRelationships":[
        "type":"contains",
        "product":{
             "id": http://server:port/inventoryApi/product/59"
   }],
  "billingAccount":
       "id": "http://server:port/billingApi/billingAccount/678"
  "relatedParties": [
       "role":"partner",
     "reference": "http://serverlocation:port/partnerManagement/partner/42"
  }],
  "realizingServices": [
```



```
"id": " 46779",
       "href": "http://server:port/inventoryApi/service/46779"
  "productPrice" : [{
    "name": "...".
    "description": "",
    "validFor":{
         "startDateTime": "2013-04-19T16:42:23-04:00",
         "endDateTime":"2013-06-19T00:00:00-04:00"
    "priceType": "recurring",
    "recurringChargePeriod": "monthly",
    "unitOfMeasure":"",
    "price":{
         "amount":"12",
         "currency":"$"
  }]
RESPONSE
201
Content-Type: application/json
 JSON Resource Representation with every attributes
```

PATCH INVENTORYAPI/PRODUCT/{ID}

<u>Description</u>:

- Partially updates a product entry in the inventory
- The resource is a managed entity

Behavior:

- Returns HTTP/1.1 status code 201 if the request was successful.
- Standard error codes in case of an error.

<u>Case</u>: Patch the product inventory entry once the service delivery is fully done, thus linking the service ID to the product instance

REQUEST PATCH inventoryApi/product/42



POST INVENTORYAPI/PRODUCT

Description:

- Allows to create a new product entry in the inventory
- The resource is a managed entity

Behavior:

- Returns HTTP/1.1 status code 201 if the request was successful.
- Standard error codes in case of an error.

```
POST inventoryApi/product
Content-type: application/json

{
    "name": "Samsung Galaxy S4",
    "description": "Description of the instantiated handset product",
    "status": "active",
    "productSerialNumber": "59745034OOR030",
    "startDate": "",
    "orderDate": "2013-07-21 06:16:39ZGMT+1",
    "terminationDate": ""
    "productOffering":
    {
        "id": "http://server:port/catalogApi/productOffering/22",
        "name": "My Quick BB Offer"
    },
```



```
"productSpecification":
       "id": " http://server:port/catalogApi/productOffering/21"
  "productCharacteristics":[
       "name": "color",
       "value": "black"
  "billingAccount":
       "id": "http://server:port/billingApi/billingAccount/678"
  "relatedParties": [
     "role":"partner",
     "reference": "http://serverlocation:port/partnerManagement/partner/42"
  "place":"http://map.google.com/.../1234112GDE",
  "realizingResources": [
       "id": "http://server:port/inventoryApi/device/659394EDOD00"
  }],
  "productPrice" : [{
    "name" : "..."
    "description": "",
    "validFor":{
         "startDateTime": "2013-04-19T16:42:23-04:00",
         "endDateTime":"2013-06-19T00:00:00-04:00"
    "priceType":"non-recurring",
    "price":{
         "amount": "300",
         "currency":"$"
  }]
RESPONSE
Content-Type: application/json
 JSON Resource Representation with every provided and default attributes
```

DELETE INVENTORYAPI/PRODUCT/{ID}



Description:

Delete a product in the inventory

Behavior:

- Returns HTTP/1.1 status code 200 if the request was successful.
- Standard error codes in case of an error.
- Under certain policies, some errors may be raised when using this operation (for example if integrity violations are forbidden in the inventory).

REQUEST
DELETE inventoryApi/product/42
RESPONSE
200



API NOTIFICATION TEMPLATES

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

REGISTER LISTENER POST / HUB

Description:

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

Behavior:

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

REQUEST

POST /api/hub Accept: application/json

{"callback": "http://in.listener.com"}

RESPONSE

201

Content-Type: application/json

Location: /api/hub/42

{"id":"42","callback":"http://in.listener.com","query":null}

UNREGISTER LISTENER DELETE HUB/{ID}

Description:

Clears the communication endpoint address that was set by creating the Hub.

Behavior:



Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

```
REQUEST

DELETE /api/hub/{id}
Accept: application/json

RESPONSE

204
```

PUBLISH {EVENTTYPE} POST /LISTENER

Description:

Provide the Event description

Behavior:

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

```
REQUEST

POST /client/listener
Accept: application/json

{
    "event": {
        EVENT BODY
        },
        "eventType": "eventType"
    }

RESPONSE

201
Content-Type: application/json
```

Example see TMF REST Design Guidelines.



RELEASE HISTORY

Release Number	Date	Release led by:	Description
Release 1.0	04/15/2013	Pierre Gauthier TM Forum pgauthier@tmforum.org	First Release of Draft Version of the Document.
Release 1.1			Updated for use in the Paris Spec Jam – and rebranded.