



## *TM Forum Specification*

# Account Management API REST Specification

**TMF666**  
**Release 17.0.1**  
**November 2017**

<b>Latest Update: TM Forum Release 17</b>	<b>TM Forum Approved</b>
<b>Version 1.0.1</b>	<b>IPR Mode: RAND</b>

## NOTICE

Copyright © TM Forum 2017. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

TM FORUM invites any TM FORUM Member or any other party that believes it has patent claims that would necessarily be infringed by implementations of this TM Forum Standards Final Deliverable, to notify the TM FORUM Team Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this deliverable.

The TM FORUM invites any party to contact the TM FORUM Team Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this TM FORUM Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this TM FORUM Standards Final Deliverable. TM FORUM may include such claims on its website, but disclaims any obligation to do so.

TM FORUM takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this TM FORUM Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on TM FORUM's procedures with respect to rights in any document or deliverable produced by a TM FORUM Collaboration Project Team can be found on the TM FORUM website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this TM FORUM Standards Final Deliverable, can be obtained from the TM FORUM Team Administrator. TM FORUM makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

Direct inquiries to the TM Forum office:

4 Century Drive, Suite 100  
Parsippany, NJ 07054 USA

Tel No. +1 973 944 5100

Fax No. +1 973 944 5110

TM Forum Web Page: [www.tmforum.org](http://www.tmforum.org)

## TABLE OF CONTENTS

NOTICE .....	2
Table of Contents.....	4
List of Tables .....	7
Introduction .....	8
SAMPLE USE CASES .....	9
RESOURCE MODEL .....	10
Managed Entity and Task Resource Models .....	10
Party Account resource .....	10
Billing Account resource .....	20
Settlement Account resource.....	30
Financial Account resource .....	39
Billing Cycle Specification resource .....	46
Bill Format resource .....	48
Bill Presentation Media resource .....	48
Notification Resource Models .....	49
Party Account Attribute Value Change Notification .....	50
Party Account State Change Notification .....	51
Billing Account Attribute Value Change Notification .....	51
Billing Account State Change Notification .....	51
Settlement Account Attribute Value Change Notification.....	52
Settlement Account State Change Notification .....	52
Financial Account Creation Notification .....	53
Financial Account Attribute Value Change Notification .....	53
Financial Account State Change Notification .....	53
Financial Account Remove Notification.....	54
API OPERATIONS.....	55
Operations on Party Account.....	55

List party accounts.....	55
Retrieve party account.....	56
Create party account .....	60
Patch party account.....	61
Delete party account.....	63
Operations on Billing Account.....	63
List billing accounts .....	63
Retrieve billing account.....	64
Create billing account .....	68
Patch billing account.....	69
Delete billing account .....	71
Operations on Settlement Account .....	71
List settlement accounts .....	72
Retrieve settlement account .....	72
Create settlement account.....	76
Patch settlement account .....	77
Delete settlement account .....	79
Operations on Financial Account.....	80
List financial accounts .....	80
Retrieve financial account.....	82
Create financial account .....	84
Patch financial account.....	86
Delete financial account.....	89
Operations on Billing Cycle Specification.....	90
List billing cycle specifications .....	90
Retrieve billing cycle specification .....	91
Create billing cycle specification .....	91
Patch billing cycle specification.....	93

Delete billing cycle specification .....	94
Operations on Bill Format .....	95
List bill formats .....	95
Retrieve bill format.....	95
Create bill format .....	96
Patch bill format.....	97
Delete bill format.....	98
Operations on Bill Presentation Media.....	99
List bill presentation medias .....	99
Retrieve bill presentation media.....	100
Create bill presentation media .....	100
Patch bill presentation media.....	101
Delete bill presentation media.....	102
API NOTIFICATIONS.....	104
Register listener .....	104
Unregister listener .....	104
Publish Event to listener .....	105
Acknowledgments.....	107
Release History .....	107
Contributors to Document.....	107

## LIST OF TABLES

N/A

## INTRODUCTION

The Account API provides a standardized mechanism for the management of billing and settlement accounts, as well as for financial accounting (account receivable) either in B2B or B2B2C contexts.

It allows creation, update and retrieval of account information either in a B2B2C relationship context (creation of mass market customer billing account within a “Billing on Behalf of” process for example) or in a B2B context (creation of a billing/settlement account for a partner or B2B customer).

It also allows creation and query of bill items allowing partners or B2B customer to check their invoice.

Accounts typically refer to parties and party roles. However, the management of party and party roles is out of the scope of this API. The TMF APIs Party Management, Customer Management and Party Role Management can be used for this purpose.



## SAMPLE USE CASES

Reader will find example of use cases using Account management API in “Open Digital Business Scenarios and Use Cases” document.

## RESOURCE MODEL


### Managed Entity and Task Resource Models

---

#### PARTY ACCOUNT RESOURCE

Account used for billing or for settlement purposes concerning a given party (an organization or an individual).


##### **Resource model**



Lifecycle

The Party Account lifecycle is tracked by the 'state' attribute. Typical lifecycle values are: Defined, Active, Suspended, pending Update, pending Closed, Closed.

Note that an implementation of the specification may enrich the list of states depicted in the diagram. The state machine specifying the typical state change transitions is provided below.



**Field descriptions**

PartyAccount fields

creditLimit	A money (Money). The maximum amount of money that may be charged on an account.
description	A string. Detailed description of the party account.
href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
lastModified	A date time (DateTime). Date of last modification of the account.
name	A string. Name of the account.
state	A string. Contains the lifecycle state such as: Active, Closed, Suspended and so on.

type	A string. A categorization of an account, such as individual, joint, and so forth, whose instances share some of the same characteristics. Note: for flexibility we use a String here but an implementation may use an enumeration with a limited list of valid values.
billStructure	A bill structure (BillStructure). The structure of the bill for party accounts (billing or settlement).
paymentPlan	A list of payment plans (PaymentPlan [*]). Defines a plan for payment (when a party wants to spread his payments).
financialAccount	A financial account reference (FinancialAccountRef). AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.
defaultPaymentMethod	A payment method reference (PaymentMethodRef). A payment method defines a specific mean of payment (e.g direct debit).
relatedParty	A list of related party references (RelatedPartyRef [*]). A related party defines party or party role linked to a specific entity.
taxExemption	A list of account tax exemptions (AccountTaxExemption [*]). Proof of freedom from taxes imposed by a taxing jurisdiction.
contact	A list of contacts (Contact [*]). An individual or an organization used as a contact point for a given account and accessed via some contact medium.
accountBalance	A list of account balances (AccountBalance [*]). Balances linked to the account.
accountRelationship	A list of account relationships (AccountRelationship [*]). Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

#### AccountBalance sub-resource

Balances linked to the account.

amount	A money (Money). Balance amount.
type	A string. Type of the balance : deposit balance, disputed balance, loyalty balance, receivable balance...
validFor	A time period. Balance validity period.

#### AccountRelationship sub-resource

Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

relationshipType	A string. Type of relationship.
validFor	A time period. Validity period of that relationship.
account	An account reference (AccountRef). An account may be a party account or a financial account.

#### AccountTaxExemption sub-resource

Proof of freedom from taxes imposed by a taxing jurisdiction.

certificateNumber	A string. Identifier of a document that shows proof of exemption from taxes for the taxing jurisdiction.
issuingJurisdiction	A string. Name of the taxing jurisdiction for which taxes are exempt.
reason	A string. Reason of the tax exemption.
validFor	A time period. Period for which the exemption is valid.

#### BillStructure sub-resource

The structure of the bill for party accounts (billing or settlement).

presentationMedia	A list of bill presentation media references (BillPresentationMediaRef [*]). PresentationMedia reference. A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.
format	A bill format reference (BillFormatRef). A bill format is a description of the way in which a bill is presented.
cycleSpecification	A billing cycle specification reference (BillingCycleSpecificationRef). A description of when to initiate a billing cycle and the various sub steps of a billing cycle.

#### Contact sub-resource

An individual or an organization used as a contact point for a given account and accessed via some contact medium.

contactName	A string. A displayable name for that contact.
contactType	A string. Type of contact (primary, secondary...).
partyRoleType	A string. Identifies what kind of party role type is linked to the contact (a account manager...).
validFor	A time period. Validity period of that contact.
contactMedium	A list of contact mediums (ContactMedium [*]). Indicates the contact medium that could be used to contact the party.

**relatedParty** A related party reference (RelatedPartyRef). A related party defines party or party role linked to a specific entity.

### ContactMedium sub-resource

Indicates the contact medium that could be used to contact the party.

**preferred** A boolean. If true, indicates that is the preferred contact medium.

**type** A string. Type of the contact medium, such as: email address, telephone number, postal address.

**validFor** A time period. The time period that the contact medium is valid for.

**characteristic** A medium characteristic (MediumCharacteristic). Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

### MediumCharacteristic sub-resource

Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

**city** A string. The city.

**country** A string. The country.

**emailAddress** A string. Full email address in standard format.

**faxNumber** A string. The fax number of the contact.

**phoneNumber** A string. The primary phone number of the contact.

**postCode** A string. Postcode.

**stateOrProvince** A string. State or province.

**street1** A string. Describes the street.

**street2** A string. Complementary street description.

**type** A string. Type of medium (fax, mobile phone...).

### Money sub-resource

A base / value business entity used to represent money.

**unit** A string. Currency (ISO4217 norm uses 3 letters to define the currency).

**value** A float. A positive floating point number.

### PaymentPlan sub-resource

Defines a plan for payment (when a party wants to spread his payments).

numberOfPayments	An integer. Number of payments used to spread the global payment.
paymentFrequency	A string. Frequency of the payments, such as monthly and bimonthly.
priority	An integer. Priority of the payment plan.
status	A string. Status of the payment plan (effective, ineffective).
totalAmount	A money (Money). Amount paid.
type	A string. Type of payment plan.
validFor	A time period. Validity period of the payment plan.
paymentMethod	A payment method reference (PaymentMethodRef). A payment method defines a specific mean of payment (e.g direct debit).

#### AccountRef relationship

Account reference. A account may be a party account or a financial account.

description	A string. Detailed description of the account.
href	A string. Reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.

#### BillFormatRef relationship

BillFormat reference. A bill format is a description of the way in which a bill is presented.

href	A string. Reference of the bill format.
id	A string. Unique identifier of the bill format.
name	A string. A short descriptive name.

#### BillPresentationMediaRef relationship

PresentationMedia reference. A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.

href	A string. Reference of the bill presentation media.
id	A string. Unique identifier of the bill presentation media.
name	A string. A short descriptive name.

#### BillingCycleSpecificationRef relationship

BillingCycleSpecification reference. A description of when to initiate a billing cycle and the various sub steps of a billing cycle.



dateShift	An integer. An offset of a billing/settlement date. The offset is expressed as number of days with regard to the start of the billing/settlement period.
frequency	A string. Frequency of the billing cycle (monthly for instance).
href	A string. Reference of the billing cycle specification.
id	A string. Unique identifier of the billing cycle specification.
name	A string. A short descriptive name.

#### FinancialAccountRef relationship

AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.

href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.
accountBalance	An account balance (AccountBalance). Balances linked to the account.

#### PaymentMethodRef relationship

PaymentMethod reference. A payment method defines a specific mean of payment (e.g direct debit).

href	A string. Reference of the payment mean.
id	A string. Unique identifier of the payment mean.
name	A string. Name of the payment mean.

#### RelatedPartyRef relationship

RelatedParty reference. A related party defines party or party role linked to a specific entity.

href	A string. Reference of the related party, could be a party reference or a party role reference.
id	A string. Unique identifier of a related party.
name	A string. Name of the related party.
role	A string. Role of the related party.
validFor	A time period. Validity period of the related party.

#### **Json representation sample**

We provide below the json representation of an example of a 'PartyAccount' resource object

```
{
  "creditLimit": "10000",
  "description": "This party account ...",
  "href": "https://host:port/accounts/partyAccount/6698",
  "id": "6698",
  "lastModified": "2017-05-03T00:00",
  "name": "Administration account",
  "state": "Active",
  "type": "Business",
  "paymentStatus": "Due",
  "billStructure": {
    "presentationMedia": [
      {
        "href": "https://host:port/accounts/billPresentationMedia/5499",
        "id": "5499",
        "name": "Email"
      }
    ],
    "format": {
      "href": "https://host:port/accounts/billFormat/9847",
      "id": "9847",
      "name": "Summary invoice"
    },
    "cycleSpecification": {
      "dateShift": 43,
      "frequency": "monthly",
      "href": "https://host:port/accounts/billingCycleSpecification/4706",
      "id": "4706",
      "name": "Monthly billing"
    }
  },
  "paymentPlan": [
    {
      "numberOfPayments": 10,
      "paymentFrequency": "monthly",
      "priority": 2,
      "status": "Effective",
      "totalAmount": 543.8,
      "type": "regular",
      "validFor": {
        "startDateTime": "2017-05-01T00:00",
        "endDateTime": "2017-11-29T00:00"
      },
      "paymentMethod": {
        "href": "https://host:port/onboardingManagement/paymentMethod/2942",
        "id": "2942",
        "name": "family payment"
      }
    }
  ],
  "financialAccount": {
    "href": "https://host:port/accounts/financialAccount/5860",
    "id": "5860",
    "name": "Partnership account",
    "accountBalance": {
      "amount": 55.79,
```

```
"type": "DepositBalance",
"validFor": {
  "startDateTime": "2017-05-06T00:00",
  "endDateTime": "2017-11-29T00:00"
}
},
"defaultPaymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/8509",
  "id": "8509",
  "name": "professional payment"
},
"relatedParty": [
  {
    "href": "https://host:port/partyManagement/organization/9653",
    "id": "9653",
    "name": "John Doe",
    "role": "seller",
    "validFor": {
      "startDateTime": "2017-05-05T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"taxExemption": [
  {
    "certificateNumber": "45678909876",
    "issuingJurisdiction": "Embassy",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Anna Cristal",
    "contactType": "primary",
    "partyRoleType": "Publisher",
    "validFor": {
      "startDateTime": "2017-05-02T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  },
  "contactMedium": [
    {
      "preferred": true,
      "type": "TelephoneNumber",
      "validFor": {
        "startDateTime": "2017-05-01T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    },
    "characteristic": [
      {
        "name": "Colour",
        "value": "pink"
      }
    ]
  }
]
```


```
    },
    {
      "name": "Memory",
      "value": "64"
    }
  ]
},
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/5755",
  "id": "5755",
  "name": "Richard Cole",
  "role": "bill responsible",
  "validFor": {
    "startDateTime": "2017-05-04T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
}
],
"accountBalance": [
  {
    "amount": 53.41,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-05T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "contains",
    "validFor": {
      "startDateTime": "2017-05-04T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/2126",
      "id": "2126",
      "name": "Travel Account"
    }
  }
]
}
```

---

## BILLING ACCOUNT RESOURCE

A party account used for billing purposes. It includes a description of the bill structure (frequency, presentation media, format and so on).


### Resource model



**Lifecycle**

The Billing Account lifecycle is tracked by the 'state' attribute. Typical lifecycle values are: Defined, Active, Suspended, pending Update, pending Closed, Closed.

Note that an implementation of the specification may enrich the list of states depicted in the diagram. The state machine specifying the typical state change transitions is provided below.



**Field descriptions**

BillingAccount fields

creditLimit	A money (Money). The maximum amount of money that may be charged on an account.
-------------	---

description	A string. Detailed description of the party account.
href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
lastModified	A date time (DateTime). Date of last modification of the account.
name	A string. Name of the account.
state	A string. Contains the lifecycle state such as: Active, Closed, Suspended and so on.
type	A string. A categorization of an account, such as individual, joint, and so forth, whose instances share some of the same characteristics. Note: for flexibility we use a String here but an implementation may use an enumeration with a limited list of valid values.
billStructure	A bill structure (BillStructure). The structure of the bill for party accounts (billing or settlement).
paymentPlan	A list of payment plans (PaymentPlan [*]). Defines a plan for payment (when a party wants to spread his payments).
financialAccount	A financial account reference (FinancialAccountRef). AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.
defaultPaymentMethod	A payment method reference (PaymentMethodRef). A payment method defines a specific mean of payment (e.g direct debit).
relatedParty	A list of related party references (RelatedPartyRef [*]). A related party defines party or party role linked to a specific entity.
taxExemption	A list of account tax exemptions (AccountTaxExemption [*]). Proof of freedom from taxes imposed by a taxing jurisdiction.
contact	A list of contacts (Contact [*]). An individual or an organization used as a contact point for a given account and accessed via some contact medium.
accountBalance	A list of account balances (AccountBalance [*]). Balances linked to the account.
accountRelationship	A list of account relationships (AccountRelationship [*]). Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

### AccountBalance sub-resource

Balances linked to the account.

amount	A money (Money). Balance amount.
type	A string. Type of the balance : deposit balance, disputed balance, loyalty balance, receivable balance...
validFor	A time period. Balance validity period.

#### AccountRelationship sub-resource

Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

relationshipType	A string. Type of relationship.
validFor	A time period. Validity period of that relationship.
account	An account reference (AccountRef). A account may be a party account or a financial account.

#### AccountTaxExemption sub-resource

Proof of freedom from taxes imposed by a taxing jurisdiction.

certificateNumber	A string. Identifier of a document that shows proof of exemption from taxes for the taxing jurisdiction.
issuingJurisdiction	A string. Name of the taxing jurisdiction for which taxes are exempt.
reason	A string. Reason of the tax exemption.
validFor	A time period. Period for which the exemption is valid.

#### BillStructure sub-resource

The structure of the bill for party accounts (billing or settlement).

presentationMedia	A list of bill presentation media references (BillPresentationMediaRef [*]). PresentationMedia reference. A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.
format	A bill format reference (BillFormatRef). A bill format is a description of the way in which a bill is presented.
cycleSpecification	A billing cycle specification reference (BillingCycleSpecificationRef). A description of when to initiate a billing cycle and the various sub steps of a billing cycle.

#### Contact sub-resource

An individual or an organization used as a contact point for a given account and accessed via some contact medium.

contactName	A string. A displayable name for that contact.
-------------	--

contactType	A string. Type of contact (primary, secondary...).
partyRoleType	A string. Identifies what kind of party role type is linked to the contact (a account manager...).
validFor	A time period. Validity period of that contact.
contactMedium	A list of contact mediums (ContactMedium [*]). Indicates the contact medium that could be used to contact the party.
relatedParty	A related party reference (RelatedPartyRef). A related party defines party or party role linked to a specific entity.

### ContactMedium sub-resource

Indicates the contact medium that could be used to contact the party.

preferred	A boolean. If true, indicates that is the preferred contact medium.
type	A string. Type of the contact medium, such as: email address, telephone number, postal address.
validFor	A time period. The time period that the contact medium is valid for.
characteristic	A medium characteristic (MediumCharacteristic). Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

### MediumCharacteristic sub-resource

Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

city	A string. The city.
country	A string. The country.
emailAddress	A string. Full email address in standard format.
faxNumber	A string. The fax number of the contact.
phoneNumber	A string. The primary phone number of the contact.
postCode	A string. Postcode.
stateOrProvince	A string. State or province.
street1	A string. Describes the street.
street2	A string. Complementary street description.
type	A string. Type of medium (fax, mobile phone...).

### Money sub-resource



A base / value business entity used to represent money.

unit	A string. Currency (ISO4217 norm uses 3 letters to define the currency).
value	A float. A positive floating point number.

### PaymentPlan sub-resource

Defines a plan for payment (when a party wants to spread his payments).

numberOfPayments	An integer. Number of payments used to spread the global payment.
paymentFrequency	A string. Frequency of the payments, such as monthly and bimonthly.
priority	An integer. Priority of the payment plan.
status	A string. Status of the payment plan (effective, ineffective).
totalAmount	A money (Money). Amount paid.
type	A string. Type of payment plan.
validFor	A time period. Validity period of the payment plan.
paymentMethod	A payment method reference (PaymentMethodRef). A payment method defines a specific mean of payment (e.g direct debit).

### AccountRef relationship

Account reference. A account may be a party account or a financial account.

description	A string. Detailed description of the account.
href	A string. Reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.

### BillFormatRef relationship

BillFormat reference. A bill format is a description of the way in which a bill is presented.

href	A string. Reference of the bill format.
id	A string. Unique identifier of the bill format.
name	A string. A short descriptive name.

### BillPresentationMediaRef relationship

PresentationMedia reference. A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.

href	A string. Reference of the bill presentation media.
id	A string. Unique identifier of the bill presentation media.
name	A string. A short descriptive name.

#### BillingCycleSpecificationRef relationship

BillingCycleSpecification reference. A description of when to initiate a billing cycle and the various sub steps of a billing cycle.

dateShift	An integer. An offset of a billing/settlement date. The offset is expressed as number of days with regard to the start of the billing/settlement period.
frequency	A string. Frequency of the billing cycle (monthly for instance).
href	A string. Reference of the billing cycle specification.
id	A string. Unique identifier of the billing cycle specification.
name	A string. A short descriptive name.

#### FinancialAccountRef relationship

AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.

href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.
accountBalance	An account balance (AccountBalance). Balances linked to the account.

#### PaymentMethodRef relationship

PaymentMethod reference. A payment method defines a specific mean of payment (e.g direct debit).

href	A string. Reference of the payment mean.
id	A string. Unique identifier of the payment mean.
name	A string. Name of the payment mean.

#### RelatedPartyRef relationship

RelatedParty reference. A related party defines party or party role linked to a specific entity.

href	A string. Reference of the related party, could be a party reference or a party role reference.
------	---

id	A string. Unique identifier of a related party.
name	A string. Name of the related party.
role	A string. Role of the related party.
validFor	A time period. Validity period of the related party.

### Json representation sample

We provide below the json representation of an example of a 'BillingAccount' resource object

```
{
  "paymentStatus": "Due",
  "creditLimit": "a Money ...",
  "description": "This billing account ...",
  "href": "https://host:port/onboardingManagement/billingAccount/4835",
  "id": "4835",
  "lastModified": "2017-05-03T00:00",
  "name": "Home Account",
  "state": "Active",
  "type": "Business",
  "billStructure": {
    "presentationMedia": [
      {
        "href": "https://host:port/accounts/billPresentationMedia/7176",
        "id": "7176",
        "name": "Paper"
      }
    ],
    "format": {
      "href": "https://host:port/accounts/billFormat/5195",
      "id": "5195",
      "name": "Summary invoice"
    },
    "cycleSpecification": {
      "dateShift": 75,
      "frequency": "monthly",
      "href": "https://host:port/accounts/billingCycleSpecification/1266",
      "id": "1266",
      "name": "Annual billing"
    }
  },
  "paymentPlan": [
    {
      "numberOfPayments": 4,
      "paymentFrequency": "monthly",
      "priority": 4,
      "status": "Effective",
      "totalAmount": 543.8,
      "type": "special",
      "validFor": {
        "startDateTime": "2017-05-06T00:00",
        "endDateTime": "2017-11-29T00:00"
      },
      "paymentMethod": {
```

```
    "href": "https://host:port/onboardingManagement/paymentMethod/8829",
    "id": "8829",
    "name": "family payment"
  }
},
"financialAccount": {
  "href": "https://host:port/accounts/financialAccount/1163",
  "id": "1163",
  "name": "Partnership account",
  "accountBalance": {
    "amount": 57.68,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-03T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
},
"defaultPaymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/8092",
  "id": "8092",
  "name": "family payment"
},
"relatedParty": [
  {
    "href": "https://host:port/partyManagement/organization/3332",
    "id": "3332",
    "name": "John Doe",
    "role": "user",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"taxExemption": [
  {
    "certificateNumber": "98765432345",
    "issuingJurisdiction": "Prefecture",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Charles Chopin",
    "contactType": "secondary",
    "partyRoleType": "Publisher",
    "validFor": {
      "startDateTime": "2017-05-02T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
```

```
"contactMedium": [
  {
    "preferred": true,
    "type": "Email",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "characteristic": [
      {
        "name": "Colour",
        "value": "white"
      },
      {
        "name": "Memory",
        "value": "64"
      }
    ]
  }
],
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/3665",
  "id": "3665",
  "name": "Richard Cole",
  "role": "customer",
  "validFor": {
    "startDateTime": "2017-05-06T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
}
},
"accountBalance": [
  {
    "amount": 54.88,
    "type": "ReceivableBalance",
    "validFor": {
      "startDateTime": "2017-05-01T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "contains",
    "validFor": {
      "startDateTime": "2017-05-04T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/4807",
      "id": "4807",
      "name": "Paradise Account"
    }
  }
]
```


```
]
}
```

---

## SETTLEMENT ACCOUNT RESOURCE

A party account used for settlement purposes. It includes a description of the structure used for the settlement (frequency, presentation media, format and so on).


### Resource model



### Lifecycle

The Settlement Account lifecycle is tracked by the 'state' attribute. Typical lifecycle values are: Defined, Active, Suspended, pending Update, pending Closed, Closed.

Note that an implementation of the specification may enrich the list of states depicted in the diagram. The state machine specifying the typical state change transitions is provided below.



## Field descriptions

### SettlementAccount fields

creditLimit	A money (Money). The maximum amount of money that may be charged on an account.
description	A string. Detailed description of the party account.
href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
lastModified	A date time (DateTime). Date of last modification of the account.
name	A string. Name of the account.
state	A string. Contains the lifecycle state such as: Active, Closed, Suspended and so on.
type	A string. A categorization of an account, such as individual, joint, and so forth, whose instances share some of the same characteristics. Note: for flexibility we use a String here but an implementation may use an enumeration with a limited list of valid values.

billStructure	A bill structure (BillStructure). The structure of the bill for party accounts (billing or settlement).
paymentPlan	A list of payment plans (PaymentPlan [*]). Defines a plan for payment (when a party wants to spread his payments).
financialAccount	A financial account reference (FinancialAccountRef). AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.
defaultPaymentMethod	A payment method reference (PaymentMethodRef). A payment method defines a specific mean of payment (e.g direct debit).
relatedParty	A list of related party references (RelatedPartyRef [*]). A related party defines party or party role linked to a specific entity.
taxExemption	A list of account tax exemptions (AccountTaxExemption [*]). Proof of freedom from taxes imposed by a taxing jurisdiction.
contact	A list of contacts (Contact [*]). An individual or an organization used as a contact point for a given account and accessed via some contact medium.
accountBalance	A list of account balances (AccountBalance [*]). Balances linked to the account.
accountRelationship	A list of account relationships (AccountRelationship [*]). Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

#### AccountBalance sub-resource

Balances linked to the account.

amount	A money (Money). Balance amount.
type	A string. Type of the balance : deposit balance, disputed balance, loyalty balance, receivable balance...
validFor	A time period. Balance validity period.

#### AccountRelationship sub-resource

Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

relationshipType	A string. Type of relationship.
validFor	A time period. Validity period of that relationship.



account An account reference (AccountRef). An account may be a party account or a financial account.

#### AccountTaxExemption sub-resource

Proof of freedom from taxes imposed by a taxing jurisdiction.

certificateNumber A string. Identifier of a document that shows proof of exemption from taxes for the taxing jurisdiction.

issuingJurisdiction A string. Name of the taxing jurisdiction for which taxes are exempt.

reason A string. Reason of the tax exemption.

validFor A time period. Period for which the exemption is valid.

#### BillStructure sub-resource

The structure of the bill for party accounts (billing or settlement).

presentationMedia A list of bill presentation media references (BillPresentationMediaRef [\*]). PresentationMedia reference. A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.

format A bill format reference (BillFormatRef). A bill format is a description of the way in which a bill is presented.

cycleSpecification A billing cycle specification reference (BillingCycleSpecificationRef). A description of when to initiate a billing cycle and the various sub steps of a billing cycle.

#### Contact sub-resource

An individual or an organization used as a contact point for a given account and accessed via some contact medium.

contactName A string. A displayable name for that contact.

contactType A string. Type of contact (primary, secondary...).

partyRoleType A string. Identifies what kind of party role type is linked to the contact (a account manager...).

validFor A time period. Validity period of that contact.

contactMedium A list of contact mediums (ContactMedium [\*]). Indicates the contact medium that could be used to contact the party.

relatedParty A related party reference (RelatedPartyRef). A related party defines party or party role linked to a specific entity.

#### ContactMedium sub-resource

Indicates the contact medium that could be used to contact the party.

preferred	A boolean. If true, indicates that is the preferred contact medium.
type	A string. Type of the contact medium, such as: email address, telephone number, postal address.
validFor	A time period. The time period that the contact medium is valid for.
characteristic	A medium characteristic (MediumCharacteristic). Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

#### MediumCharacteristic sub-resource

Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

city	A string. The city.
country	A string. The country.
emailAddress	A string. Full email address in standard format.
faxNumber	A string. The fax number of the contact.
phoneNumber	A string. The primary phone number of the contact.
postCode	A string. Postcode.
stateOrProvince	A string. State or province.
street1	A string. Describes the street.
street2	A string. Complementary street description.
type	A string. Type of medium (fax, mobile phone...).

#### Money sub-resource

A base / value business entity used to represent money.

unit	A string. Currency (ISO4217 norm uses 3 letters to define the currency).
value	A float. A positive floating point number.

#### PaymentPlan sub-resource

Defines a plan for payment (when a party wants to spread his payments).

numberOfPayments	An integer. Number of payments used to spread the global payment.
paymentFrequency	A string. Frequency of the payments, such as monthly and bimonthly.

priority	An integer. Priority of the payment plan.
status	A string. Status of the payment plan (effective, ineffective).
totalAmount	A money (Money). Amount paid.
type	A string. Type of payment plan.
validFor	A time period. Validity period of the payment plan.
paymentMethod	A payment method reference (PaymentMethodRef). A payment method defines a specific mean of payment (e.g direct debit).

#### AccountRef relationship

Account reference. A account may be a party account or a financial account.

description	A string. Detailed description of the account.
href	A string. Reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.

#### BillFormatRef relationship

BillFormat reference. A bill format is a description of the way in which a bill is presented.

href	A string. Reference of the bill format.
id	A string. Unique identifier of the bill format.
name	A string. A short descriptive name.

#### BillPresentationMediaRef relationship

PresentationMedia reference. A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.

href	A string. Reference of the bill presentation media.
id	A string. Unique identifier of the bill presentation media.
name	A string. A short descriptive name.

#### BillingCycleSpecificationRef relationship

BillingCycleSpecification reference. A description of when to initiate a billing cycle and the various sub steps of a billing cycle.

dateShift	An integer. An offset of a billing/settlement date. The offset is expressed as number of days with regard to the start of the billing/settlement period.
-----------	--

frequency	A string. Frequency of the billing cycle (monthly for instance).
href	A string. Reference of the billing cycle specification.
id	A string. Unique identifier of the billing cycle specification.
name	A string. A short descriptive name.

#### FinancialAccountRef relationship

AccountReceivable reference. An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. An account receivable aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.

href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.
accountBalance	An account balance (AccountBalance). Balances linked to the account.

#### PaymentMethodRef relationship

PaymentMethod reference. A payment method defines a specific mean of payment (e.g direct debit).

href	A string. Reference of the payment mean.
id	A string. Unique identifier of the payment mean.
name	A string. Name of the payment mean.

#### RelatedPartyRef relationship

RelatedParty reference. A related party defines party or party role linked to a specific entity.

href	A string. Reference of the related party, could be a party reference or a party role reference.
id	A string. Unique identifier of a related party.
name	A string. Name of the related party.
role	A string. Role of the related party.
validFor	A time period. Validity period of the related party.

### Json representation sample

We provide below the json representation of an example of a 'SettlementAccount' resource object

```
{
  "paymentStatus": "Due",
  "creditLimit": "a Money ...",
  "description": "This settlement account ...",
```

```
"href": "https://host:port/onboardingManagement/settlementAccount/6202",
"id": "6202",
"lastModified": "2017-05-03T00:00",
"name": "Per Usage Account",
"state": "active",
"type": "Business",
"billStructure": {
  "presentationMedia": [
    {
      "href": "https://host:port/accounts/billPresentationMedia/7422",
      "id": "7422",
      "name": "Paper"
    }
  ],
  "format": {
    "href": "https://host:port/accounts/billFormat/3588",
    "id": "3588",
    "name": "Detailed invoice"
  },
  "cycleSpecification": {
    "dateShift": 20,
    "frequency": "monthly",
    "href": "https://host:port/accounts/billingCycleSpecification/5190",
    "id": "5190",
    "name": "Annual billing"
  }
},
"paymentPlan": [
  {
    "numberOfPayments": 4,
    "paymentFrequency": "bimonthly",
    "priority": 4,
    "status": "Effective",
    "totalAmount": 543.8,
    "type": "regular",
    "validFor": {
      "startDateTime": "2017-05-04T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "paymentMethod": {
      "href": "https://host:port/onboardingManagement/paymentMethod/1547",
      "id": "1547",
      "name": "family payment"
    }
  }
],
"financialAccount": {
  "href": "https://host:port/accounts/financialAccount/4503",
  "id": "4503",
  "name": "Travel account",
  "accountBalance": {
    "amount": 55.91,
    "type": "ReceivableBalance",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
}
```

```
    }
  }
},
"defaultPaymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/3135",
  "id": "3135",
  "name": "family payment"
},
"relatedParty": [
  {
    "href": "https://host:port/partyManagement/organization/2981",
    "id": "2981",
    "name": "Gustave Flaubert",
    "role": "owner",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"taxExemption": [
  {
    "certificateNumber": "45678909876",
    "issuingJurisdiction": "Embassy",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Ludwig Borgia",
    "contactType": "secondary",
    "partyRoleType": "CustomerAccountRepresentative",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  },
  "contactMedium": [
    {
      "preferred": true,
      "type": "TelephoneNumber",
      "validFor": {
        "startDateTime": "2017-05-06T00:00",
        "endDateTime": "2017-11-29T00:00"
      },
      "characteristic": [
        {
          "name": "Colour",
          "value": "blue"
        },
        {
          "name": "Memory",
          "value": "64"
        }
      ]
    }
  ]
}
```

```

    }
  ]
}
],
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/4985",
  "id": "4985",
  "name": "Gustave Flaubert",
  "role": "vendor",
  "validFor": {
    "startDateTime": "2017-05-06T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
}
},
],
"accountBalance": [
  {
    "amount": 51.77,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "linked",
    "validFor": {
      "startDateTime": "2017-05-04T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/2553",
      "id": "2553",
      "name": "Paradise Account"
    }
  }
]
}
}


```

---

## FINANCIAL ACCOUNT RESOURCE

An account of money owed by a party to another entity in exchange for goods or services that have been delivered or used. A financial (account receivable account/account payable) aggregates the amounts of one or more party accounts (billing or settlement) owned by a given party.

### Resource model




**Lifecycle**

The FinancialAccount lifecycle is tracked by the 'state' attribute. Typical lifecycle values are: Defined, Active, Suspended, pending Update, pending Closed, Closed.

Note that an implementation of the specification may enrich the list of states depicted in the diagram. The state machine specifying the typical state change transitions is provided below.





## Field descriptions

### FinancialAccount fields

creditLimit	A money (Money). The maximum amount of money that may be charged on an account.
description	A string. Detailed description of the party account.
href	A string. Unique reference of the account.
id	A string. Unique identifier of the account.
lastModified	A date time (DateTime). Date of last modification of the account.
name	A string. Name of the account.
state	A string. Contains the lifecycle state such as: Active, Closed, Suspended and so on.
type	A string. A categorization of an account, such as individual, joint, and so forth, whose instances share some of the same characteristics. Note: for flexibility we use a String here but an implementation may use an enumeration with a limited list of valid values.

relatedParty	A list of related party references (RelatedPartyRef [*]). A related party defines party or party role linked to a specific entity.
taxExemption	A list of account tax exemptions (AccountTaxExemption [*]). Proof of freedom from taxes imposed by a taxing jurisdiction.
contact	A list of contacts (Contact [*]). An individual or an organization used as a contact point for a given account and accessed via some contact medium.
accountBalance	A list of account balances (AccountBalance [*]). Balances linked to the account.
accountRelationship	A list of account relationships (AccountRelationship [*]). Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

#### AccountBalance sub-resource

Balances linked to the account.

amount	A money (Money). Balance amount.
type	A string. Type of the balance : deposit balance, disputed balance, loyalty balance, receivable balance...
validFor	A time period. Balance validity period.

#### AccountRelationship sub-resource

Significant connection between accounts. For instance an aggregating account for a list of shop branches each having its own billing account.

relationshipType	A string. Type of relationship.
validFor	A time period. Validity period of that relationship.
account	An account reference (AccountRef). An account may be a party account or a financial account.

#### AccountTaxExemption sub-resource

Proof of freedom from taxes imposed by a taxing jurisdiction.

certificateNumber	A string. Identifier of a document that shows proof of exemption from taxes for the taxing jurisdiction.
issuingJurisdiction	A string. Name of the taxing jurisdiction for which taxes are exempt.
reason	A string. Reason of the tax exemption.
validFor	A time period. Period for which the exemption is valid.

#### Contact sub-resource

An individual or an organization used as a contact point for a given account and accessed via some contact medium.

contactName	A string. A displayable name for that contact.
contactType	A string. Type of contact (primary, secondary...).
partyRoleType	A string. Identifies what kind of party role type is linked to the contact (a account manager...).
validFor	A time period. Validity period of that contact.
contactMedium	A list of contact mediums (ContactMedium [*]). Indicates the contact medium that could be used to contact the party.
relatedParty	A related party reference (RelatedPartyRef). A related party defines party or party role linked to a specific entity.

#### ContactMedium sub-resource

Indicates the contact medium that could be used to contact the party.

preferred	A boolean. If true, indicates that is the preferred contact medium.
type	A string. Type of the contact medium, such as: email address, telephone number, postal address.
validFor	A time period. The time period that the contact medium is valid for.
characteristic	A medium characteristic (MediumCharacteristic). Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

#### MediumCharacteristic sub-resource

Describes the contact medium characteristics that could be used to contact a party (an individual or an organization).

city	A string. The city.
country	A string. The country.
emailAddress	A string. Full email address in standard format.
faxNumber	A string. The fax number of the contact.
phoneNumber	A string. The primary phone number of the contact.
postCode	A string. Postcode.
stateOrProvince	A string. State or province.
street1	A string. Describes the street.

street2	A string. Complementary street description.
type	A string. Type of medium (fax, mobile phone...).

Money sub-resource

A base / value business entity used to represent money.

unit	A string. Currency (ISO4217 norm uses 3 letters to define the currency).
value	A float. A positive floating point number.

AccountRef relationship

Account reference. A account may be a party account or a financial account.

description	A string. Detailed description of the account.
href	A string. Reference of the account.
id	A string. Unique identifier of the account.
name	A string. Name of the account.

RelatedPartyRef relationship

RelatedParty reference. A related party defines party or party role linked to a specific entity.

href	A string. Reference of the related party, could be a party reference or a party role reference.
id	A string. Unique identifier of a related party.
name	A string. Name of the related party.
role	A string. Role of the related party.
validFor	A time period. Validity period of the related party.

**Json representation sample**

We provide below the json representation of an example of a 'FinancialAccount' resource object

```
{
  "creditLimit": "a Money ...",
  "description": "This financial account ...",
  "href": "https://host:port/accounts/financialAccount/4055",
  "id": "4055",
  "lastModified": "2017-05-03T00:00",
  "name": "Travel account",
  "state": "Active",
  "type": "Global",
  "relatedParty": [
    {
      "href": "https://host:port/partyManagement/organization/2110",
```

```
"id": "2110",
"name": "John Doe",
"role": "owner",
"validFor": {
  "startDateTime": "2017-05-01T00:00",
  "endDateTime": "2017-11-29T00:00"
}
},
"taxExemption": [
  {
    "certificateNumber": "45678909876",
    "issuingJurisdiction": "Prefecture",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Rachel Douglas",
    "contactType": "secondary",
    "partyRoleType": "CustomerAccountRepresentative",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  },
  "contactMedium": [
    {
      "preferred": true,
      "type": "PostalAddress",
      "validFor": {
        "startDateTime": "2017-05-03T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    },
    "characteristic": [
      {
        "name": "Colour",
        "value": "pink"
      },
      {
        "name": "Memory",
        "value": "32"
      }
    ]
  }
],
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/8202",
  "id": "8202",
  "name": "John Doe",
  "role": "bill receiver",
  "validFor": {
    "startDateTime": "2017-04-30T00:00",
```

```

    "endDateTime": "2017-11-29T00:00"
  }
}
],
"accountBalance": [
  {
    "amount": 58.7,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-02T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "linked",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/9531",
      "id": "9531",
      "name": "Paradise Account"
    }
  }
]
}

```

## BILLING CYCLE SPECIFICATION RESOURCE

A detailed description of when to initiate a billing cycle and the various sub steps of a billing cycle.

### Resource model

BillingCycle Specification
billingDateShift: Integer
billingPeriod: String
chargeDateOffset: int
creditDateOffset: int
description: String
frequency: String
href: String
id: String
mailingDateOffset: Integer
name: String
paymentDueDateOffset: Integer
validFor: TimePeriod <span style="color: red;">A</span>

## Field descriptions

### BillingCycleSpecification fields

billingDateShift	An integer. An offset of a billing/settlement date. The offset is expressed as number of days with regard to the start of the billing/settlement period.
billingPeriod	A string. A billing time period. It can be recurring, for example: week, month, quarter of year, year.
chargeDateOffset	An int (int). An offset of a date through which charges previously received by the billing system will appear on the bill. The offset is expressed as number of days with regard to the start of the BillingPeriod.
creditDateOffset	An int (int). An offset of a date through which credits previously received by the billing system will appear on the bill. The offset is expressed as number of days with regard to the start of the BillingPeriod.
description	A string. An explanation regarding this billing cycle specification.
frequency	A string. Frequency of the billing cycle (monthly for instance).
href	A string. Reference of the billing cycle specification.
id	A string. Unique identifier of the billing cycle specification.
mailingDateOffset	An integer. An offset of a customer bill mailing date. The offset is expressed as number of days with regard to the start of the BillingPeriod.
name	A string. A short descriptive name.
paymentDueDateOffset	An integer. An offset of a payment due date. The offset is expressed as number of days with regard to the start of the BillingPeriod.
validFor	A time period. The period for which the billing specification cycle is valid.

## Json representation sample

We provide below the json representation of an example of a 'BillingCycleSpecification' resource object

```
{
  "billingDateShift": 20,
  "billingPeriod": "a string ...",
  "chargeDateOffset": "a int ...",
  "creditDateOffset": "a int ...",
  "description": "This billing cycle specification ...",
  "frequency": "monthly",
  "href": "https://host:port/accounts/billingCycleSpecification/3353",
  "id": "3353",
  "mailingDateOffset": 53,
  "name": "Monthly billing on the 15",
  "paymentDueDateOffset": 45,
  "validFor": {
    "startDateTime": "2017-05-06T00:00",
```


```
"endTime": "2017-11-29T00:00"  
}  
}
```

---

## BILL FORMAT RESOURCE

A detailed description of the way in which a bill is presented.

### Resource model



### Field descriptions

#### BillFormat fields

description	A string. An explanatory text for this bill format.
href	A string. Reference of the bill format.
id	A string. Unique identifier of the bill format.
name	A string. A short descriptive name.

### Json representation sample

We provide below the json representation of an example of a 'BillFormat' resource object

```
{  
  "description": "This bill format ...",  
  "href": "https://host:port/accounts/billFormat/4962",  
  "id": "4962",  
  "name": "Summary invoice"  
}
```

---

## BILL PRESENTATION MEDIA RESOURCE

A mean of communicating a bill, supported by the associated bill format. For example, post mail, email, web page.

### Resource model



BillPresentationMedia	
description: String	
href: String	
id: String	
name: String	A

## Field descriptions

### BillPresentationMedia fields

description	A string. An explanatory text describing this bill presentation media.
href	A string. Reference of the bill presentation media.
id	A string. Unique identifier of the bill presentation media.
name	A string. A short descriptive name.

## Json representation sample

We provide below the json representation of an example of a 'BillPresentationMedia' resource object

```
{
  "description": "This bill presentation media ...",
  "href": "https://host:port/accounts/billPresentationMedia/5458",
  "id": "5458",
  "name": "Email"
}
```

## Notification Resource Models

10 notifications are defined for this API

Notifications related to PartyAccount:

- PartyAccountAttributeValueChangeNotification
- PartyAccountStateChangeNotification

Notifications related to BillingAccount:

- BillingAccountAttributeValueChangeNotification
- BillingAccountStateChangeNotification

Notifications related to SettlementAccount:

- SettlementAccountAttributeValueChangeNotification
- SettlementAccountStateChangeNotification


Notifications related to FinancialAccount:

- FinancialAccountCreationNotification

- FinancialAccountAttributeValueChangeNotification
- FinancialAccountStateChangeNotification
- FinancialAccountRemoveNotification

The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification resource (depicted by "SpecificNotification" placeholder) is a sub class of a generic Notification structure containing an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the notification resource (eventType).

This notification structure owns an event structure ("SpecificEvent" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).



## PARTY ACCOUNT ATTRIBUTE VALUE CHANGE NOTIFICATION

Notification sent when changing an attribute of a PartyAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'PartyAccountAttributeValueChangeNotification' notification object

```
{
  "eventId": "00001",
  "eventTime": "2015-11-16T16:42:25-04:00",
  "eventType": "PartyAccountAttributeValueChangeNotification",
  "event": {
    "partyAccount":
      {-- SEE PartyAccount RESOURCE SAMPLE --}
  }
}
```

---

## PARTY ACCOUNT STATE CHANGE NOTIFICATION

Notification sent when changing the state of a PartyAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'PartyAccountStateChangeNotification' notification object

```
{
  "eventId": "00001",
  "eventTime": "2015-11-16T16:42:25-04:00",
  "eventType": "PartyAccountStateChangeNotification",
  "event": {
    "partyAccount":
      {-- SEE PartyAccount RESOURCE SAMPLE --}
  }
}
```

---

## BILLING ACCOUNT ATTRIBUTE VALUE CHANGE NOTIFICATION

Notification sent when changing an attribute of a BillingAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'BillingAccountAttributeValueChangeNotification' notification object

```
{
  "eventId": "00001",
  "eventTime": "2015-11-16T16:42:25-04:00",
  "eventType": "BillingAccountAttributeValueChangeNotification",
  "event": {
    "billingAccount":
      {-- SEE BillingAccount RESOURCE SAMPLE --}
  }
}
```

---

## BILLING ACCOUNT STATE CHANGE NOTIFICATION

Notification sent when changing the state of a BillingAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'BillingAccountStateChangeNotification' notification object

```
{
  "eventId":"00001",
  "eventTime":"2015-11-16T16:42:25-04:00",
  "eventType":"BillingAccountStateChangeNotification",
  "event": {
    "billingAccount" :
      [-- SEE BillingAccount RESOURCE SAMPLE --]
  }
}
```

---

## SETTLEMENT ACCOUNT ATTRIBUTE VALUE CHANGE NOTIFICATION

Notification sent when changing an attribute of a SettlementAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'SettlementAccountAttributeValueChangeNotification' notification object

```
{
  "eventId":"00001",
  "eventTime":"2015-11-16T16:42:25-04:00",
  "eventType":"SettlementAccountAttributeValueChangeNotification",
  "event": {
    "settlementAccount" :
      [-- SEE SettlementAccount RESOURCE SAMPLE --]
  }
}
```

---

## SETTLEMENT ACCOUNT STATE CHANGE NOTIFICATION

Notification sent when changing the state of a SettlementAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'SettlementAccountStateChangeNotification' notification object.

```
{
  "eventId":"00001",
  "eventTime":"2015-11-16T16:42:25-04:00",
  "eventType":"SettlementAccountStateChangeNotification",
  "event": {
    "settlementAccount" :
      [-- SEE SettlementAccount RESOURCE SAMPLE --]
  }
}
```

```
}  
}
```

---

## FINANCIAL ACCOUNT CREATION NOTIFICATION

Notification sent when a new FinancialAccount resource is created.

### Json representation sample

We provide below the json representation of an example of a 'FinancialAccountCreationNotification' notification object.

```
{  
  "eventId":"00001",  
  "eventTime":"2015-11-16T16:42:25-04:00",  
  "eventType":"FinancialAccountCreationNotification",  
  "event": {  
    "financialAccount" :  
      {-- SEE FinancialAccount RESOURCE SAMPLE --}  
  }  
}
```

---

## FINANCIAL ACCOUNT ATTRIBUTE VALUE CHANGE NOTIFICATION

Notification sent when changing an attribute of a FinancialAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'FinancialAccountAttributeValueChangeNotification' notification object

```
{  
  "eventId":"00001",  
  "eventTime":"2015-11-16T16:42:25-04:00",  
  "eventType":"FinancialAccountAttributeValueChangeNotification",  
  "event": {  
    "financialAccount" :  
      {-- SEE FinancialAccount RESOURCE SAMPLE --}  
  }  
}
```

---

## FINANCIAL ACCOUNT STATE CHANGE NOTIFICATION

Notification sent when changing the state of a FinancialAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'FinancialAccountStateChangeNotification' notification object.

```
{
  "eventId":"00001",
  "eventTime":"2015-11-16T16:42:25-04:00",
  "eventType":"FinancialAccountStateChangeNotification",
  "event": {
    "financialAccount" :
      {-- SEE FinancialAccount RESOURCE SAMPLE --}
  }
}
```

---

## FINANCIAL ACCOUNT REMOVE NOTIFICATION

Notification sent when removing a FinancialAccount resource.

### Json representation sample

We provide below the json representation of an example of a 'FinancialAccountRemoveNotification' notification object.

```
{
  "eventId":"00001",
  "eventTime":"2015-11-16T16:42:25-04:00",
  "eventType":"FinancialAccountRemoveNotification",
  "event": {
    "financialAccount" :
      {-- SEE FinancialAccount RESOURCE SAMPLE --}
  }
}
```

## API OPERATIONS

Remember the following Uniform Contract:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource
Complete Update of an Entity	PUT Resource	PUT must be used to completely update a resource identified by its resource URI
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource
Execute an Action on an Entity	POST on TASK Resource	POST must be used to execute Task Resources
Other Request Methods	POST on TASK Resource	GET and POST must not be used to tunnel other request methods.

Filtering and attribute selection rules are described in the TMF REST Design Guidelines.

Notifications are also described in a subsequent section.

## OPERATIONS ON PARTY ACCOUNT

### LIST PARTY ACCOUNTS

**GET** /partyAccount?fields=...&{filtering}

## Description

This operation list party account entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

## Usage Samples

Here's an example of a request for retrieving PartyAccount resources.

Retrieving all party accounts of type 'Business' with 'due' status. The result items are shrunk to show only the id, name and the credit limit (fields=id,name,creditLimit)

<b>Request</b>
GET /accountManagement/partyAccount?fields=id,name,creditLimit&status=due Accept: application/json
<b>Response</b>
200  [ { "creditLimit": "50000", "id": "9473", "name": "Administration Account" }, { "creditLimit": "1000000", "id": "9899", "name": "Bahamas Account" } ]

---

## RETRIEVE PARTY ACCOUNT

**GET** /partyAccount/{id}?fields=...&{filtering}

### Description

This operation retrieves a party account entity.

Attribute selection is enabled for all first level attributes.

Filtering on sub-resources may be available depending on the compliance level supported by an implementation.



## Usage Samples

Here's an example of a request for retrieving a PartyAccount resource.

Request
GET /accountManagement/partyAccount/6698 Accept: application/json
Response
200  <pre>{   "creditLimit": "10000",   "description": "This party account ...",   "href": "https://host:port/accounts/partyAccount/6698",   "id": "6698",   "lastModified": "2017-05-03T00:00",   "name": "Administration account",   "state": "Active",   "type": "Business",   "paymentStatus": "Due",   "billStructure": {     "presentationMedia": [       {         "href": "https://host:port/accounts/billPresentationMedia/5499",         "id": "5499",         "name": "Email"       }     ],     "format": {       "href": "https://host:port/accounts/billFormat/9847",       "id": "9847",       "name": "Summary invoice"     },     "cycleSpecification": {       "dateShift": 43,       "frequency": "monthly",       "href": "https://host:port/accounts/billingCycleSpecification/4706",       "id": "4706",       "name": "Monthly billing"     }   },   "paymentPlan": [     {       "numberOfPayments": 10,       "paymentFrequency": "monthly",       "priority": 2,       "status": "Effective",       "totalAmount": 543.8,       "type": "regular",</pre>

```
"validFor": {
  "startDateTime": "2017-05-01T00:00",
  "endDateTime": "2017-11-29T00:00"
},
"paymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/2942",
  "id": "2942",
  "name": "family payment"
}
],
"financialAccount": {
  "href": "https://host:port/accounts/financialAccount/5860",
  "id": "5860",
  "name": "Partnership account",
  "accountBalance": {
    "amount": 55.79,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
},
"defaultPaymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/8509",
  "id": "8509",
  "name": "professional payment"
},
"relatedParty": [
  {
    "href": "https://host:port/partyManagement/organization/9653",
    "id": "9653",
    "name": "John Doe",
    "role": "seller",
    "validFor": {
      "startDateTime": "2017-05-05T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"taxExemption": [
  {
    "certificateNumber": "45678909876",
    "issuingJurisdiction": "Embassy",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Anna Cristal",
    "contactType": "primary",
```

```
"partyRoleType": "Publisher",
"validFor": {
  "startDateTime": "2017-05-02T00:00",
  "endDateTime": "2017-11-29T00:00"
},
"contactMedium": [
  {
    "preferred": true,
    "type": "TelephoneNumber",
    "validFor": {
      "startDateTime": "2017-05-01T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "characteristic": [
      {
        "name": "Colour",
        "value": "pink"
      },
      {
        "name": "Memory",
        "value": "64"
      }
    ]
  }
],
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/5755",
  "id": "5755",
  "name": "Richard Cole",
  "role": "bill responsible",
  "validFor": {
    "startDateTime": "2017-05-04T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
}
],
"accountBalance": [
  {
    "amount": 53.41,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-05T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "contains",
    "validFor": {
      "startDateTime": "2017-05-04T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",

```

```

    "href": "https://host:port/accounts/account/2126",
    "id": "2126",
    "name": "Travel Account"
  }
}
]
}

```

## CREATE PARTY ACCOUNT

### POST /partyAccount

#### Description

This operation creates a party account entity.

#### Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a PartyAccount, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	
ownerParty	

Non Mandatory Attributes	Default Value	Rule
creditLimit		
description		
lastModified		
state		
type		
paymentStatus		
billStructure		
paymentPlan		
financialAccount		
defaultPaymentMethod		
relatedParty		
taxExemption		
contact		
accountBalance		
accountRelationship		

#### Default Values Summary

When creating the resource, the following table summarizes the default values applicable to optional attributes of the resource (or sub-resources).

Attributes	Default Value
------------	---------------

validFor.startDateTime	Current date
billStructure.cycleSpecification.name	"Bill issuer choice"
billStructure.format.name	"Standard invoice"
billStructure.presentationMedia.name	"Electronic invoice"
currencyCode	"National currency"

## Usage Samples

Here's an example of a request for creating a PartyAccount resource. In this example the request only passes mandatory attributes.

<b>Request</b>
<pre>POST /accountManagement/partyAccount Content-Type: application/json  {   "name": "Administration account" }</pre>
<b>Response</b>
<pre>201  {   "href": "https://host:port/accounts/partyAccount/6698",   "id": "6698",   "name": "Administration account" }</pre>

## PATCH PARTY ACCOUNT

### PATCH /partyAccount/{id}

#### Description

This operation allows partial updates of a party account entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

#### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Patchable Attributes	Rule
creditLimit	
description	
lastModified	
name	
state	
type	
paymentStatus	
billStructure	
paymentPlan	
financialAccount	
defaultPaymentMethod	
relatedParty	
taxExemption	
contact	
accountRelationship	

Non Patchable Attributes	Rule
id	
href	
accountBalance	
creditLimit	
description	
lastModified	
name	
state	
type	
paymentStatus	
billStructure	
paymentPlan	
financialAccount	
defaultPaymentMethod	
relatedParty	
taxExemption	
contact	
accountRelationship	

## Usage Samples

Here's an example of a request for patching a PartyAccount resource.

Changing the credit limit and the description of the account (using json-merge)

**Request**

PATCH /accountManagement/partyAccount/42 Content-Type: application/merge-patch+json  <pre>{   "description": "Premium credit limit",   "creditLimit": "5000" }</pre>
<b>Response</b>
201  { Similar JSON as in GET response with credit limit and description changed }

## DELETE PARTY ACCOUNT

**DELETE** /partyAccount/{id}

*Note: this operation is available only to ADMIN API users*

### Description

This operation deletes a party account entity.

### Usage Samples

Here's an example of a request for deleting a PartyAccount resource.

<b>Request</b>
DELETE /accountManagement/partyAccount/42
<b>Response</b>
204

## OPERATIONS ON BILLING ACCOUNT

### LIST BILLING ACCOUNTS

**GET** /billingAccount?fields=...&{filtering}

## Description

This operation list billing account entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

## Usage Samples

Here's an example of a request for retrieving BillingAccount resources.

List all billing accounts using Canadian currency. The result items are shrunk to show only the id and name (fields=id,name)

<b>Request</b>
GET /accountManagement/billingAccount?fields=id,name&currencyCode=CAD Accept: application/json
<b>Response</b>
200  [ { "id": "42", "name": "Lakes Agency Account" }, { "id": "43", "name": "Santa Claus Donate Account" } ]

---

## RETRIEVE BILLING ACCOUNT

**GET** /billingAccount/{id}?fields=...&{filtering}

### Description

This operation retrieves a billing account entity.

Attribute selection is enabled for all first level attributes.

Filtering on sub-resources may be available depending on the compliance level supported by an implementation.

### Usage Samples



Here's an example of a request for retrieving a BillingAccount resource.

Request
GET /accountManagement/billingAccount/4835 Accept: application/json
Response
200  <pre> {   "paymentStatus": "Due",   "creditLimit": "a Money ...",   "description": "This billing account ...",   "href": "https://host:port/onboardingManagement/billingAccount/4835",   "id": "4835",   "lastModified": "2017-05-03T00:00",   "name": "Home Account",   "state": "Active",   "type": "Business",   "billStructure": {     "presentationMedia": [       {         "href": "https://host:port/accounts/billPresentationMedia/7176",         "id": "7176",         "name": "Paper"       }     ],     "format": {       "href": "https://host:port/accounts/billFormat/5195",       "id": "5195",       "name": "Summary invoice"     },     "cycleSpecification": {       "dateShift": 75,       "frequency": "monthly",       "href": "https://host:port/accounts/billingCycleSpecification/1266",       "id": "1266",       "name": "Annual billing"     }   },   "paymentPlan": [     {       "numberOfPayments": 4,       "paymentFrequency": "monthly",       "priority": 4,       "status": "Effective",       "totalAmount": 543.8,       "type": "special",       "validFor": {         "startDateTime": "2017-05-06T00:00", </pre>

```
    "endDateTime": "2017-11-29T00:00"
  },
  "paymentMethod": {
    "href": "https://host:port/onboardingManagement/paymentMethod/8829",
    "id": "8829",
    "name": "family payment"
  }
},
"financialAccount": {
  "href": "https://host:port/accounts/financialAccount/1163",
  "id": "1163",
  "name": "Partnership account",
  "accountBalance": {
    "amount": 57.68,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-03T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
},
"defaultPaymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/8092",
  "id": "8092",
  "name": "family payment"
},
"relatedParty": [
  {
    "href": "https://host:port/partyManagement/organization/3332",
    "id": "3332",
    "name": "John Doe",
    "role": "user",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"taxExemption": [
  {
    "certificateNumber": "98765432345",
    "issuingJurisdiction": "Prefecture",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Charles Chopin",
    "contactType": "secondary",
    "partyRoleType": "Publisher",
    "validFor": {
```

```
"startDateTime": "2017-05-02T00:00",
"endDateTime": "2017-11-29T00:00"
},
"contactMedium": [
  {
    "preferred": true,
    "type": "Email",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "characteristic": [
      {
        "name": "Colour",
        "value": "white"
      },
      {
        "name": "Memory",
        "value": "64"
      }
    ]
  }
],
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/3665",
  "id": "3665",
  "name": "Richard Cole",
  "role": "customer",
  "validFor": {
    "startDateTime": "2017-05-06T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
}
},
"accountBalance": [
  {
    "amount": 54.88,
    "type": "ReceivableBalance",
    "validFor": {
      "startDateTime": "2017-05-01T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "contains",
    "validFor": {
      "startDateTime": "2017-05-04T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/4807",
      "id": "4807",
```

```

    "name": "Paradise Account"
  }
}
]
}

```

## CREATE BILLING ACCOUNT

### POST /billingAccount

*Note: this operation is available only to ADMIN API users*

#### Description

This operation creates a billing account entity.

#### Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a BillingAccount, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	
ownerParty	

Non Mandatory Attributes	Default Value	Rule
paymentStatus		
creditLimit		
description		
lastModified		
state		
type		
billStructure		
paymentPlan		
financialAccount		
defaultPaymentMethod		
relatedParty		
taxExemption		
contact		
accountBalance		
accountRelationship		

#### Default Values Summary

When creating the resource, the following table summarizes the default values applicable to optional attributes of the resource (or sub-resources).

Attributes	Default Value
------------	---------------

validFor.startDateTime	Current date
billStructure.cycleSpecification.name	"Bill issuer choice"
billStructure.format.name	"Standard invoice"
billStructure.presentationMedia.name	"Electronic invoice"
currencyCode	"National currency"

## Usage Samples

Here's an example of a request for creating a BillingAccount resource. In this example the request only passes mandatory attributes.

<b>Request</b>
<pre>POST /accountManagement/billingAccount Content-Type: application/json  {   "name": "Home Account" }</pre>
<b>Response</b>
<pre>201  {   "href": "https://host:port/onboardingManagement/billingAccount/4835",   "id": "4835",   "name": "Home Account" }</pre>

## PATCH BILLING ACCOUNT

### PATCH /billingAccount/{id}

#### Description

This operation allows partial updates of a billing account entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

#### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Notice that patching is possible only for 'admin' API users.

Patchable Attributes	Rule
billStructure.cycleSpecification	
billStructure.format	
billStructure.presentationMedia	
paymentStatus	
creditLimit	
description	
lastModified	
name	
state	
type	
billStructure	
paymentPlan	
financialAccount	
defaultPaymentMethod	
relatedParty	
taxExemption	
contact	
accountRelationship	

Non Patchable Attributes	Rule
id	
href	
accountBalance	
paymentStatus	
creditLimit	
description	
lastModified	
name	
state	
type	
billStructure	
paymentPlan	
financialAccount	
defaultPaymentMethod	
relatedParty	
taxExemption	
contact	
accountRelationship	

## Usage Samples

Here's an example of a request for patching a BillingAccount resource.

Changing the currency code (using json-patch)

<b>Request</b>
PATCH /accountManagement/billingAccount/42 Content-Type: application/json-patch+json  <pre>{   "path": "/currencyCode",   "value": "USD",   "op": "replace" }</pre>
<b>Response</b>
201  { Similar JSON as in GET response with currency code changed}

## DELETE BILLING ACCOUNT

### **DELETE** /billingAccount/{id}

*Note: this operation is available only to ADMIN API users*

#### **Description**

This operation deletes a billing account entity.

#### **Usage Samples**

Here's an example of a request for deleting a BillingAccount resource.

<b>Request</b>
DELETE /accountManagement/billingAccount/42
<b>Response</b>
204

## OPERATIONS ON SETTLEMENT ACCOUNT

---

## LIST SETTLEMENT ACCOUNTS

**GET /settlementAccount?fields=...&{filtering}**

### Description

This operation list settlement account entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

### Usage Samples

Here's an example of a request for retrieving SettlementAccount resources.

List all settlement accounts connected to a given party account. The result items are shrunk to show only the id and name (fields=id,name).

<b>Request</b>
GET /accountManagement/settlementAccount?fields=id,name&partyAccount.id=7876543 Accept: application/json
<b>Response</b>
200  [ { "id": "42", "name": "API Usage Account" }, { "id": "43", "name": "Storage Usage Account" } ]

---

## RETRIEVE SETTLEMENT ACCOUNT

**GET /settlementAccount/{id}?fields=...&{filtering}**

### Description

This operation retrieves a settlement account entity.

Attribute selection is enabled for all first level attributes.



Filtering on sub-resources may be available depending on the compliance level supported by an implementation.

## Usage Samples

Here's an example of a request for retrieving a SettlementAccount resource.

Request
GET /accountManagement/settlementAccount/6202 Accept: application/json
Response
200  <pre> {   "paymentStatus": "Due",   "creditLimit": "a Money ...",   "description": "This settlement account ...",   "href": "https://host:port/onboardingManagement/settlementAccount/6202",   "id": "6202",   "lastModified": "2017-05-03T00:00",   "name": "Per Usage Account",   "state": "active",   "type": "Business",   "billStructure": {     "presentationMedia": [       {         "href": "https://host:port/accounts/billPresentationMedia/7422",         "id": "7422",         "name": "Paper"       }     ],     "format": {       "href": "https://host:port/accounts/billFormat/3588",       "id": "3588",       "name": "Detailed invoice"     },     "cycleSpecification": {       "dateShift": 20,       "frequency": "monthly",       "href": "https://host:port/accounts/billingCycleSpecification/5190",       "id": "5190",       "name": "Annual billing"     }   },   "paymentPlan": [     {       "numberOfPayments": 4, </pre>

```
"paymentFrequency": "bimonthly",
"priority": 4,
"status": "Effective",
"totalAmount": 543.8,
"type": "regular",
"validFor": {
  "startDateTime": "2017-05-04T00:00",
  "endDateTime": "2017-11-29T00:00"
},
"paymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/1547",
  "id": "1547",
  "name": "family payment"
}
},
"financialAccount": {
  "href": "https://host:port/accounts/financialAccount/4503",
  "id": "4503",
  "name": "Travel account",
  "accountBalance": {
    "amount": 55.91,
    "type": "ReceivableBalance",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
},
"defaultPaymentMethod": {
  "href": "https://host:port/onboardingManagement/paymentMethod/3135",
  "id": "3135",
  "name": "family payment"
},
"relatedParty": [
  {
    "href": "https://host:port/partyManagement/organization/2981",
    "id": "2981",
    "name": "Gustave Flaubert",
    "role": "owner",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"taxExemption": [
  {
    "certificateNumber": "45678909876",
    "issuingJurisdiction": "Embassy",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
]
```

```
],
"contact": [
  {
    "contactName": "Ludwig Borgia",
    "contactType": "secondary",
    "partyRoleType": "CustomerAccountRepresentative",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "contactMedium": [
      {
        "preferred": true,
        "type": "TelephoneNumber",
        "validFor": {
          "startDateTime": "2017-05-06T00:00",
          "endDateTime": "2017-11-29T00:00"
        },
        "characteristic": [
          {
            "name": "Colour",
            "value": "blue"
          },
          {
            "name": "Memory",
            "value": "64"
          }
        ]
      }
    ]
  },
  {
    "relatedParty": {
      "href": "https://host:port/partyManagement/organization/4985",
      "id": "4985",
      "name": "Gustave Flaubert",
      "role": "vendor",
      "validFor": {
        "startDateTime": "2017-05-06T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    }
  }
],
"accountBalance": [
  {
    "amount": 51.77,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "linked",
    "validFor": {
```

```

    "startDateTime": "2017-05-04T00:00",
    "endDateTime": "2017-11-29T00:00"
  },
  "account": {
    "description": "This account ...",
    "href": "https://host:port/accounts/account/2553",
    "id": "2553",
    "name": "Paradise Account"
  }
}
]
}

```

## CREATE SETTLEMENT ACCOUNT

### POST /settlementAccount

*Note: this operation is available only to ADMIN API users*

#### Description

This operation creates a settlement account entity.

#### Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a SettlementAccount, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	
ownerParty	

Non Mandatory Attributes	Default Value	Rule
paymentStatus		
creditLimit		
description		
lastModified		
state		
type		
billStructure		
paymentPlan		
financialAccount		
defaultPaymentMethod		
relatedParty		
taxExemption		
contact		
accountBalance		
accountRelationship		

## Default Values Summary

When creating the resource, the following table summarizes the default values applicable to optional attributes of the resource (or sub-resources).

Attributes	Default Value
validFor.startDateTime	Current date
billStructure.cycleSpecification.name	"Bill issuer choice"
billStructure.format.name	"Standard invoice"
billStructure.presentationMedia.name	"Electronic invoice"
currencyCode	"National currency"

## Usage Samples

Here's an example of a request for creating a SettlementAccount resource. In this example the request only passes mandatory attributes.

Request
POST /accountManagement/settlementAccount Content-Type: application/json  <pre>{   "name": "Per Usage Account" }</pre>
Response
201  <pre>{   "href": "https://host:port/onboardingManagement/settlementAccount/6202",   "id": "6202",   "name": "Per Usage Account" }</pre>

## PATCH SETTLEMENT ACCOUNT

**PATCH** /settlementAccount/{id}

### Description

This operation allows partial updates of a settlement account entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules

concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Notice that patching is possible only for 'admin' API users.

Patchable Attributes	Rule
billStructure.cycleSpecification	
billStructure.format	
billStructure.presentationMedia	
paymentStatus	
creditLimit	
description	
lastModified	
name	
state	
type	
billStructure	
paymentPlan	
financialAccount	
defaultPaymentMethod	
relatedParty	
taxExemption	
contact	
accountRelationship	

Non Patchable Attributes	Rule
id	
href	
accountBalance	
paymentStatus	
creditLimit	
description	
lastModified	
name	
state	
type	
billStructure	
paymentPlan	
financialAccount	
defaultPaymentMethod	
relatedParty	
taxExemption	
contact	
accountRelationship	

### Usage Samples

Here's an example of a request for patching a SettlementAccount resource.

Changing the currency code (using json-patch)

Request
PATCH /accountManagement/settlementAccount/42 Content-Type: application/json-patch+json  <pre>{   "path": "/currencyCode",   "value": "USD",   "op": "replace" }</pre>
Response
201  { Similar JSON as in GET response with currency code changed }

---

## DELETE SETTLEMENT ACCOUNT

**DELETE** /settlementAccount/{id}

*Note: this operation is available only to ADMIN API users*

### Description

This operation deletes a settlement account entity.

### Usage Samples

Here's an example of a request for deleting a SettlementAccount resource.

Request
DELETE /accountManagement/settlementAccount/42
Response
204

## OPERATIONS ON FINANCIAL ACCOUNT

### LIST FINANCIAL ACCOUNTS

**GET** /financialAccount?fields=...&{filtering}

#### Description

This operation list financial account entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

#### Usage Samples

Here's an example of a request for retrieving FinancialAccount resources.

Request
GET /accountManagement/financialAccount Accept: application/json
Response
200  <pre>[   {     "creditLimit": "a Money ...",     "description": "This financial account ...",     "href": "https://host:port/accounts/financialAccount/4055",     "id": "4055",     "lastModified": "2017-05-03T00:00",     "name": "Travel account",     "state": "Active",     "type": "Global",     "relatedParty": [       {         "href": "https://host:port/partyManagement/organization/2110",         "id": "2110",         "name": "John Doe",         "role": "owner",         "validFor": {           "startDateTime": "2017-05-01T00:00",           "endDateTime": "2017-11-29T00:00"         }       }     ]   },   {     "taxExemption": [</pre>



```
{
  "certificateNumber": "45678909876",
  "issuingJurisdiction": "Prefecture",
  "reason": "VIP",
  "validFor": {
    "startDateTime": "2017-05-06T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
},
"contact": [
  {
    "contactName": "Rachel Douglas",
    "contactType": "secondary",
    "partyRoleType": "CustomerAccountRepresentative",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "contactMedium": [
      {
        "preferred": true,
        "type": "PostalAddress",
        "validFor": {
          "startDateTime": "2017-05-03T00:00",
          "endDateTime": "2017-11-29T00:00"
        },
        "characteristic": [
          {
            "name": "Colour",
            "value": "pink"
          },
          {
            "name": "Memory",
            "value": "32"
          }
        ]
      }
    ]
  },
  "relatedParty": {
    "href": "https://host:port/partyManagement/organization/8202",
    "id": "8202",
    "name": "John Doe",
    "role": "bill receiver",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
},
"accountBalance": [
  {
    "amount": 58.7,
    "type": "DepositBalance",
    "validFor": {
```

```

    "startDateTime": "2017-05-02T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
},
"accountRelationship": [
  {
    "relationshipType": "linked",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/9531",
      "id": "9531",
      "name": "Paradise Account"
    }
  }
]
}
]

```

## RETRIEVE FINANCIAL ACCOUNT

**GET** /financialAccount/{id}?fields=...&{filtering}

### Description

This operation retrieves a financial account entity.

Attribute selection is enabled for all first level attributes.

Filtering on sub-resources may be available depending on the compliance level supported by an implementation.

### Usage Samples

Here's an example of a request for retrieving a FinancialAccount resource.

Request
GET /accountManagement/financialAccount/4055 Accept: application/json
Response
200

```
{
  "creditLimit": "a Money ...",
  "description": "This financial account ...",
  "href": "https://host:port/accounts/financialAccount/4055",
  "id": "4055",
  "lastModified": "2017-05-03T00:00",
  "name": "Travel account",
  "state": "Active",
  "type": "Global",
  "relatedParty": [
    {
      "href": "https://host:port/partyManagement/organization/2110",
      "id": "2110",
      "name": "John Doe",
      "role": "owner",
      "validFor": {
        "startDateTime": "2017-05-01T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    }
  ],
  "taxExemption": [
    {
      "certificateNumber": "45678909876",
      "issuingJurisdiction": "Prefecture",
      "reason": "VIP",
      "validFor": {
        "startDateTime": "2017-05-06T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    }
  ],
  "contact": [
    {
      "contactName": "Rachel Douglas",
      "contactType": "secondary",
      "partyRoleType": "CustomerAccountRepresentative",
      "validFor": {
        "startDateTime": "2017-04-29T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    }
  ],
  "contactMedium": [
    {
      "preferred": true,
      "type": "PostalAddress",
      "validFor": {
        "startDateTime": "2017-05-03T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    },
    {
      "characteristic": [
        {
          "name": "Colour",
          "value": "pink"
        },
        {
          "name": "Memory",
```

```
        "value": "32"
      }
    ]
  },
  "relatedParty": {
    "href": "https://host:port/partyManagement/organization/8202",
    "id": "8202",
    "name": "John Doe",
    "role": "bill receiver",
    "validFor": {
      "startDateTime": "2017-04-30T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
},
"accountBalance": [
  {
    "amount": 58.7,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-02T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "linked",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/9531",
      "id": "9531",
      "name": "Paradise Account"
    }
  }
]
}
```

---

## CREATE FINANCIAL ACCOUNT

### POST /financialAccount

*Note: this operation is available only to ADMIN API users*

#### Description

This operation creates a financial account entity.

## Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a FinancialAccount, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	

Non Mandatory Attributes	Default Value	Rule
creditLimit		
description		
lastModified	Automatically generated	
state		
type		
relatedParty		
taxExemption		
contact		
accountBalance		
accountRelationship		

## Additional Rules

The following table provides additional rules indicating mandatory fields in sub-resources or relationships when creating a FinancialAccount resource.

Context	Mandatory Sub-Attributes
taxExemption	issuingJurisdiction, validFor
accountRelationship	relationshipType, validFor
contact	contactType, validFor
ownerParty	id, name
accountBalance	type, amount, validFor, status
paymentPlan	status, amount, paymentFrequency, validFor, paymentMethod

## Default Values Summary

When creating the resource, the following table summarizes the default values applicable to optional attributes of the resource (or sub-resources).

Attributes	Default Value
id	Automatically generated
href	Automatically generated
lastModified	Automatically generated

## Usage Samples

Here's an example of a request for creating a FinancialAccount resource. In this example the request only passes mandatory attributes.

<b>Request</b>
POST /accountManagement/financialAccount Content-Type: application/json  <pre>{   "name": "Travel account" }</pre>
<b>Response</b>
201  <pre>{   "href": "https://host:port/accounts/financialAccount/4055",   "id": "4055",   "lastModified": "2017-05-03T00:00",   "name": "Travel account" }</pre>

## PATCH FINANCIAL ACCOUNT

### PATCH /financialAccount/{id}

#### Description

This operation allows partial updates of a financial account entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

#### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Patchable Attributes	Rule
creditLimit	
description	
name	
state	
type	
relatedParty	
taxExemption	
contact	

accountBalance	
accountRelationship	

Non Patchable Attributes	Rule
id	
href	
lastModified	
creditLimit	
description	
name	
state	
type	
relatedParty	
taxExemption	
contact	
accountBalance	
accountRelationship	

## Usage Samples

Here's an example of a request for patching a FinancialAccount resource.

Request
PATCH /accountManagement/financialAccount/4055 Content-Type: application/merge-patch+json  <pre>{   "name": "new name" }</pre>
Response
201  <pre>{   "creditLimit": "a Money ...",   "description": "This financial account ...",   "href": "https://host:port/accounts/financialAccount/4055",   "id": "4055",   "lastModified": "2017-05-03T00:00",   "name": "new name",   "state": "Active",   "type": "Global",   "relatedParty": [     {       "href": "https://host:port/partyManagement/organization/2110",       "id": "2110",       "name": "John Doe",     }   ] }</pre>

```
"role": "owner",
  "validFor": {
    "startDateTime": "2017-05-01T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
},
"taxExemption": [
  {
    "certificateNumber": "45678909876",
    "issuingJurisdiction": "Prefecture",
    "reason": "VIP",
    "validFor": {
      "startDateTime": "2017-05-06T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"contact": [
  {
    "contactName": "Rachel Douglas",
    "contactType": "secondary",
    "partyRoleType": "CustomerAccountRepresentative",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  },
  "contactMedium": [
    {
      "preferred": true,
      "type": "PostalAddress",
      "validFor": {
        "startDateTime": "2017-05-03T00:00",
        "endDateTime": "2017-11-29T00:00"
      }
    },
    "characteristic": [
      {
        "name": "Colour",
        "value": "pink"
      },
      {
        "name": "Memory",
        "value": "32"
      }
    ]
  }
],
"relatedParty": {
  "href": "https://host:port/partyManagement/organization/8202",
  "id": "8202",
  "name": "John Doe",
  "role": "bill receiver",
  "validFor": {
    "startDateTime": "2017-04-30T00:00",
    "endDateTime": "2017-11-29T00:00"
  }
}
```



```
    }
  }
],
"accountBalance": [
  {
    "amount": 58.7,
    "type": "DepositBalance",
    "validFor": {
      "startDateTime": "2017-05-02T00:00",
      "endDateTime": "2017-11-29T00:00"
    }
  }
],
"accountRelationship": [
  {
    "relationshipType": "linked",
    "validFor": {
      "startDateTime": "2017-04-29T00:00",
      "endDateTime": "2017-11-29T00:00"
    },
    "account": {
      "description": "This account ...",
      "href": "https://host:port/accounts/account/9531",
      "id": "9531",
      "name": "Paradise Account"
    }
  }
]
}
```

---

## DELETE FINANCIAL ACCOUNT

**DELETE** /financialAccount/{id}

*Note: this operation is available only to ADMIN API users*

### Description

This operation deletes a financial account entity.

### Usage Samples

Here's an example of a request for deleting a FinancialAccount resource.

Request
DELETE /accountManagement/financialAccount/42

**Response**

204

## OPERATIONS ON BILLING CYCLE SPECIFICATION

### LIST BILLING CYCLE SPECIFICATIONS

**GET** /billingCycleSpecification?fields=...&{filtering}

**Description**

This operation lists billing cycle specification entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

**Usage Samples**

Here's an example of a request for retrieving BillingCycleSpecification resources.

Retrieving all billing cycle specifications. The result items are shrunk to show only the id and name (fields=id,name)

**Request**

```
GET /accountManagement/billingCycleSpecification?fields=id,name
Accept: application/json
```

**Response**

200

```
[
  {
    "id": "9473",
    "name": "bimonthly"
  },
  {
    "id": "9473",
    "name": "monthly"
  },
  {
    "id": "9899",
    "name": "weekly"
  }
]
```

```
}
]
```

## RETRIEVE BILLING CYCLE SPECIFICATION

**GET** /billingCycleSpecification/{id}?fields=...&{filtering}

### Description

This operation retrieves a billing cycle specification entity. Attribute selection is enabled for all first level attributes. Filtering on sub-resources may be available depending on the compliance level supported by an implementation.

### Usage Samples

Here's an example of a request for retrieving a BillingCycleSpecification resource.

Request
GET /accountManagement/billingCycleSpecification/3353 Accept: application/json
Response
200  <pre>{   "billingDateShift": 20,   "billingPeriod": "a string ...",   "chargeDateOffset": "a int ...",   "creditDateOffset": "a int ...",   "description": "This billing cycle specification ...",   "frequency": "monthly",   "href": "https://host:port/accounts/billingCycleSpecification/3353",   "id": "3353",   "mailingDateOffset": 53,   "name": "Monthly billing on the 15",   "paymentDueDateOffset": 45,   "validFor": {     "startDateTime": "2017-05-06T00:00",     "endDateTime": "2017-11-29T00:00"   } }</pre>

## CREATE BILLING CYCLE SPECIFICATION

## POST /billingCycleSpecification

Note: this operation is available only to ADMIN API users

### Description

This operation creates a billing cycle specification entity.

### Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a BillingCycleSpecification, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	

Non Mandatory Attributes	Default Value	Rule
billingDateShift		
billingPeriod		
chargeDateOffset		
creditDateOffset		
description		
frequency		
mailingDateOffset		
paymentDueDateOffset		
validFor		

### Usage Samples

Here's an example of a request for creating a BillingCycleSpecification resource. In this example the request only passes mandatory attributes.

Request
POST /accountManagement/billingCycleSpecification Content-Type: application/json  <pre>{   "name": "Monthly billing on the 15" }</pre>
Response
201  <pre>{   "href": "https://host:port/accounts/billingCycleSpecification/3353",</pre>

```

    "id": "3353",
    "name": "Monthly billing on the 15"
  }

```

## PATCH BILLING CYCLE SPECIFICATION

### PATCH /billingCycleSpecification/{id}

#### Description

This operation allows partial updates of a billing cycle specification entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

#### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Patchable Attributes	Rule
billingDateShift	
billingPeriod	
chargeDateOffset	
creditDateOffset	
description	
frequency	
mailingDateOffset	
name	
paymentDueDateOffset	
validFor	

Non Patchable Attributes	Rule
id	
href	
billingDateShift	
billingPeriod	
chargeDateOffset	
creditDateOffset	
description	
frequency	
mailingDateOffset	
name	
paymentDueDateOffset	
validFor	

## Usage Samples

Here's an example of a request for patching a BillingCycleSpecification resource.

Changing the frequency (using json-merge)

<b>Request</b>
PATCH /accountManagement/billingCycleSpecification/42 Content-Type: application/merge-patch+json  <pre>{   "frequency": "bimonthly" }</pre>
<b>Response</b>
201  { Similar JSON as in GET response with frequency changed }

---

## DELETE BILLING CYCLE SPECIFICATION

**DELETE** /billingCycleSpecification/{id}

*Note: this operation is available only to ADMIN API users*

### Description

This operation deletes a billing cycle specification entity.

## Usage Samples

Here's an example of a request for deleting a BillingCycleSpecification resource.

<b>Request</b>
DELETE /accountManagement/billingCycleSpecification/42
<b>Response</b>
204

## OPERATIONS ON BILL FORMAT

### LIST BILL FORMATS

**GET** /billFormat?fields=...&{filtering}

#### Description

This operation list bill format entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

#### Usage Samples

Here's an example of a request for retrieving BillFormat resources.

Retrieving all bill formats. The result items are shrunk to show only the id and name (fields=id,name)

<b>Request</b>
GET /accountManagement/billFormat?fields=id,name Accept: application/json
<b>Response</b>
200  [ { "id": "42", "name": "simple invoice" }, { "id": "43", "name": "detailed invoice" } ]

### RETRIEVE BILL FORMAT

**GET** /billFormat/{id}?fields=...&{filtering}

#### Description

This operation retrieves a bill format entity.  
 Attribute selection is enabled for all first level attributes.  
 Filtering on sub-resources may be available depending on the compliance level supported by an implementation.

## Usage Samples

Here's an example of a request for retrieving a BillFormat resource.

<b>Request</b>
GET /accountManagement/billFormat/4962 Accept: application/json
<b>Response</b>
200  <pre>{   "description": "This bill format ...",   "href": "https://host:port/accounts/billFormat/4962",   "id": "4962",   "name": "Summary invoice" }</pre>

## CREATE BILL FORMAT

### POST /billFormat

*Note: this operation is available only to ADMIN API users*

### Description

This operation creates a bill format entity.

### Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a BillFormat, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	

Non Mandatory Attributes	Default Value	Rule
description		



## Usage Samples

Here's an example of a request for creating a BillFormat resource. In this example the request only passes mandatory attributes.

Request
POST /accountManagement/billFormat Content-Type: application/json  <pre>{   "name": "Summary invoice" }</pre>
Response
201  <pre>{   "href": "https://host:port/accounts/billFormat/4962",   "id": "4962",   "name": "Summary invoice" }</pre>

## PATCH BILL FORMAT

### PATCH /billFormat/{id}

*Note: this operation is available only to ADMIN API users*

#### Description

This operation allows partial updates of a bill format entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

#### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Notice that patching is possible only for 'admin' API users.

Patchable Attributes	Rule
description	

name	
------	--

Non Patchable Attributes	Rule
id	
href	
description	
name	

## Usage Samples

Here's an example of a request for patching a BillFormat resource.

Changing the description (using json-merge)

Request
PATCH /accountManagement/billFormat/42 Content-Type: application/merge-patch+json  <pre>{   "description": "Detailed billing containing full phone numbers of calls" }</pre>
Response
201  { Similar JSON as in GET response with description changed }

---

## DELETE BILL FORMAT

**DELETE** /billFormat/{id}

*Note: this operation is available only to ADMIN API users*

### Description

This operation deletes a bill format entity.

## Usage Samples

Here's an example of a request for deleting a BillFormat resource.

<b>Request</b>
DELETE /accountManagement/billFormat/42
<b>Response</b>
204

## OPERATIONS ON BILL PRESENTATION MEDIA

### LIST BILL PRESENTATION MEDIAS

**GET** /billPresentationMedia?fields=...&{filtering}

#### Description

This operation list bill presentation media entities.

Attribute selection is enabled for all first level attributes.

Filtering may be available depending on the compliance level supported by an implementation.

#### Usage Samples

Here's an example of a request for retrieving BillPresentationMedia resources.

Retrieving all bill presentation formats. The result items are shrunk to show only the id and name (fields=id,name)

<b>Request</b>
GET /accountManagement/billPresentationMedia?fields=id,name Accept: application/json
<b>Response</b>
200  [ { "id": "42", "name": "signed mail" }, {

```
"id": "43",
"name": "postal"
},
{
  "id": "44",
  "name": "web"
}
]
```

---

## RETRIEVE BILL PRESENTATION MEDIA

**GET** /billPresentationMedia/{id}?fields=...&{filtering}

### Description

This operation retrieves a bill presentation media entity. Attribute selection is enabled for all first level attributes. Filtering on sub-resources may be available depending on the compliance level supported by an implementation.

### Usage Samples

Here's an example of a request for retrieving a BillPresentationMedia resource.

Request
GET /accountManagement/billPresentationMedia/5458 Accept: application/json
Response
200 <pre>{   "description": "This bill presentation media ...",   "href": "https://host:port/accounts/billPresentationMedia/5458",   "id": "5458",   "name": "Email" }</pre>

---

## CREATE BILL PRESENTATION MEDIA

**POST** /billPresentationMedia

*Note: this operation is available only to ADMIN API users*

## Description

This operation creates a bill presentation media entity.

## Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a BillPresentationMedia, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule
name	

Non Mandatory Attributes	Default Value	Rule
description		

## Usage Samples

Here's an example of a request for creating a BillPresentationMedia resource. In this example the request only passes mandatory attributes.

Request
POST /accountManagement/billPresentationMedia Content-Type: application/json  <pre>{   "name": "Email" }</pre>
Response
201  <pre>{   "href": "https://host:port/accounts/billPresentationMedia/5458",   "id": "5458",   "name": "Email" }</pre>

## PATCH BILL PRESENTATION MEDIA

**PATCH /billPresentationMedia/{id}**

*Note: this operation is available only to ADMIN API users*

## Description

This operation allows partial updates of a bill presentation media entity. Support of json/merge (<https://tools.ietf.org/html/rfc7386>) is mandatory, support of json/patch (<http://tools.ietf.org/html/rfc5789>) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

### Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Notice that patching is possible only for 'admin' API users.

Patchable Attributes	Rule
description	
name	

Non Patchable Attributes	Rule
id	
href	
description	
name	

### Usage Samples

Here's an example of a request for patching a BillPresentationMedia resource.

Changing the name (using json-merge)

Request
PATCH /accountManagement/billPresentationMedia/42 Content-Type: application/merge-patch+json  <pre>{   "name": "secure post mail" }</pre>
Response
201  { Similar JSON as in GET response with name changed }

## DELETE BILL PRESENTATION MEDIA

**DELETE** /billPresentationMedia/{id}

*Note: this operation is available only to ADMIN API users*

**Description**

This operation deletes a bill presentation media entity.

**Usage Samples**

Here's an example of a request for deleting a BillPresentationMedia resource.

<b>Request</b>
DELETE /accountManagement/billPresentationMedia/42
<b>Response</b>
204

## API NOTIFICATIONS

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

### REGISTER LISTENER

#### POST /hub

##### Description

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

##### Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

##### Usage Samples

Here's an example of a request for registering a listener.

<b>Request</b>
POST /api/hub Accept: application/json  {"callback": "http://in.listener.com"}
<b>Response</b>
201 Content-Type: application/json Location: /api/hub/42  {"id": "42", "callback": "http://in.listener.com", "query": null}

### UNREGISTER LISTENER



**DELETE /hub/{id}****Description**

Clears the communication endpoint address that was set by creating the Hub.

**Behavior**

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

**Usage Samples**

Here's an example of a request for un-registering a listener.

<b>Request</b>
DELETE /api/hub/42 Accept: application/json
<b>Response</b>
204

**PUBLISH EVENT TO LISTENER****POST /client/listener****Description**

Clears the communication endpoint address that was set by creating the Hub.

Provides to a registered listener the description of the event that was raised. The /client/listener url is the callback url passed when registering the listener.

**Behavior**

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

**Usage Samples**

Here's an example of a notification received by the listener. In this example "EVENT TYPE" should be replaced by one of the notification types supported by this API (see Notification resources Models section) and EVENT BODY refers to the data structure of the given notification type.

<b>Request</b>
POST /client/listener

Accept: application/json

```
{  
  "event": {  
    EVENT BODY  
  },  
  "eventType": "EVENT_TYPE"  
}
```

### Response

201

For detailed examples on the general TM Forum notification mechanism, see the TMF REST Design Guidelines.

## ACKNOWLEDGMENTS

### RELEASE HISTORY

Release Number	Date	Release led by:	Description
Release 1.0	04/15/2017	Pierre Gauthier TM Forum <a href="mailto:pgauthier@tmforum.org">pgauthier@tmforum.org</a>	First Release of the Document. Generated from API Data Model. It is a rebrand of the old Billing Management specification since its scope has been enlarged to other accounting aspects.
Release 17.0.1 Version 1.0.1	11/21/2017	Adrienne Walcott	Updated to reflect TM Forum Approved Status

### CONTRIBUTORS TO DOCUMENT

Veronique Mauneau	Orange
Johannes Minnaar	Ericsson
Steve Bouch	BT
George Glass	BT
Jean-Luc Tymen	Orange
Christian Koerner	Infonova
Milan Patel	Huawei
Jonathan Goldberg	Amdocs
Josh Salomon	Amdocs

Pierre Gauthier	TM Forum
John Morey	Ciena
Cliff C Faurer	AMKB Cloud
Mariano Belaunde	Orange