

TM Forum Specification

Shopping Cart API Conformance Profile

TMF663B Release 18.0.0 June 2018

Latest Update: TM Forum Release 18.0.0	Member Evaluation
Version 2.0.1	IPR Mode: RAND



NOTICE

Copyright © TM Forum 2018. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the TM FORUM IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

4 Century Drive, Suite 100 Parsippany, NJ 07054, USA Tel No. +1 973 944 5100 Fax No. +1 973 944 5110

TM Forum Web Page: www.tmforum.org



TABLE OF CONTENTS

NOTICE	2
TABLE OF CONTENTS	3
INTRODUCTION - API DESCRIPTION	4
RESOURCE MODEL CONFORMANCE	5
API MANDATORY AND OPTIONAL RESOURCES	5
Shopping Cart MANDATORY AND OPTIONAL ATTRIBUTES	5
NOTIFICATION MODEL CONFORMANCE	6
API MANDATORY AND OPTIONAL NOTIFICATIONS	6
API OPERATIONS CONFORMANCE	7
API MANDATORY AND OPTIONAL OPERATIONS	7
API GET OPERATION CONFORMANCE	8
/shoppingCart?fields=&{filtering}	8
/shoppingCart/{id}?fields=&{filtering}	8
API POST OPERATION CONFORMANCE	9
/shoppingCart	9
API PUT OPERATION CONFORMANCE	11
API PATCH OPERATION CONFORMANCE	12
/shoppingCart/{id}	12
API DELETE OPERATION CONFORMANCE	14
/shoppingCart/{id}	14
API CONFORMANCE TEST SCENARIOS	15
ShoppingCart resource TEST CASES	15
ACKNOWLEDGEMENTS	18
Document History	18
Version History	18
Release History	18



INTRODUCTION - API DESCRIPTION

See the introduction of the related specification document.



RESOURCE MODEL CONFORMANCE

API MANDATORY AND OPTIONAL RESOURCES

For the resources defined by the API fill the following table and indicate which ones are mandatory and which ones are optional.

Resource Name	Mandatory or Optional	Comments
ShoppingCart	М	

SHOPPING CART MANDATORY AND OPTIONAL ATTRIBUTES

The table below summarizes mandatory and optional attributes for resource "ShoppingCart"

Attribute Name	Mandatory or Optional	Comments
href	M (in response messages) O (otherwise)	Url for the created resource
id	M (in response messages) O (otherwise)	Generated by the server
validFor	0	Attribute non patchable
contactMedium	0	
cartTotalPrice	0	Attribute non patchable
cartItem	M (for resource creation) O (otherwise)	
relatedParty	0	



NOTIFICATION MODEL CONFORMANCE

The Pub/Sub models are common and described in the TMF REST Design Guidelines. Use the following templates to describe the Hub Mandatory and Optional attributes and filtering support.

API MANDATORY AND OPTIONAL NOTIFICATIONS

For the Notifications defined by the API fill the following table and indicate which ones are mandatory and which ones are optional.

<The table below is a reference example (actual notifications may depend on the specific API)>

Notification Name	Mandatory or Optional	Comments
ShoppingCartCreationNotification	М	
ShoppingCartChangeNotification	М	

All attributes of the resource associated with the notification are mandatory



API OPERATIONS CONFORMANCE

For every single resource use the following templates and define what operations are optional and what operations are mandatory.

API MANDATORY AND OPTIONAL OPERATIONS

Fill the following table and indicate which ones are mandatory and which ones are optional for each one of the resources in the API (default is for all resources).

Uniform API Operation	Mandatory/Optional	Comments
GET	M for all resources	GET must be used to retrieve a representation of a resource
POST	M for resources: ShoppingCart	POST must be used to create a new resource
PUT	O for resources: ShoppingCart	PUT must be used to completely update a resource identified by its resource URI
PATCH	M for resources: ShoppingCart	PATCH must be used to partially update a resource
DELETE	M for resources: ShoppingCart	DELETE must be used to remove a resource



API GET OPERATION CONFORMANCE

For every single resource use the following template to specify the mandatory and optional features supported by the GET operation.

Definitions

Filtered Search: A filtered search can be applied using query parameters in order to obtain only the resource entities that meet the criteria defined by the filtering parameters included in the query request. Several elements can be applied to the filtered search. In that case logic, a logical AND is applied to combine the criteria (e.g.:?severity=<value> &status=<value>)

Attribute selection (Filtered Response Data): In order to apply a filter and limit the number of attributes included in the response, the GET request can include the "?fields=" query parameter. Several elements can be applied to the filter. In that case, a logical AND is applied to combine the values (e.g.:?fields=severity,status) will provide in the response only the values assigned to attributes category and channel. Attribute selection capabilities are the same for collections retrieval and individual resource queries

<Repeat for each resource in the API where GET operation can be exercised>

All the GET operations in this API share the same status code pattern.

GET	М	
Response Status Code 200	М	
Other Status Codes	NA	<describe any="" code="" error="" or="" other="" relevant="" response=""></describe>

/SHOPPINGCART?FIELDS=...&{FILTERING}

This operation list shopping cart entities.

Attribute selection is mandatory for all first level attributes.

Filtering is mandatory for first compliance level (L1) and optional otherwise.

/SHOPPINGCART/{ID}?FIELDS=...&{FILTERING}

This operation retrieves a shopping cart entity.

Attribute selection is mandatory for all first level attributes.

Filtering on sub-resources is optional for all compliance levels.



API POST OPERATION CONFORMANCE

For every single resource use the following template to specify the mandatory and optional features supported by the POST operation.

<Repeat for each resource in the API where POST operation can be exercised>

All the POST operations in this API share the same status code pattern.

POST	M	
Status Code 201	М	
Other Status Codes	NA	<describe any="" code="" error="" or="" other="" relevant="" response=""></describe>

/SHOPPINGCART

This operation creates a shopping cart entity.

Mandatory and Non Mandatory Attributes

The following tables provides the list of mandatory and non mandatory attributes when creating a ShoppingCart, including any possible rule conditions and applicable default values. Notice that it is up to an implementer to add additional mandatory attributes.

Mandatory Attributes	Rule	
cartItem		
Non Mandatory Attributes	Default Value	Rule
validFor		
contactMedium		
cartTotalPrice		
relatedParty		

Additional Rules



The following table provides additional rules indicating mandatory fields in sub-resources or relationships when creating a ShoppingCart resource.

Context Mandatory Sub-Attributes

cartItem id, action

cartItem.cartItem id, action

cartItem.note text

relatedParty id OR href OR name

cartItem.product.place role, href

cartItem.productOffering id OR href

cartItem.product id OR href

Default Values Summary

When creating the resource, the following table summarizes the default values applicable to optional attributes of the resource (or sub-resources).

Attributes Default Value

cartItem.status Active



API PUT OPERATION CONFORMANCE

<This section is only required if the PUT operation is marked as mandatory for the basic CONNECT certification>

<Repeat for each resource in the API where PUT operation can be exercised>

All the PUT operations in this API share the same status code pattern.

PUT	0	
Status Code 201	М	
Other Status Codes	NA	<describe any="" code="" error="" or="" other="" relevant="" response=""></describe>



API PATCH OPERATION CONFORMANCE

<This section is only required if the PATCH operation is marked as mandatory for the basic CONNECT certification>

<Repeat for each resource in the API where PUT operation can be exercised>

All the PATCH operations in this API share the same status code pattern.

PATCH	0	
Status Code 201	М	
Other Status Codes	NA	<pre><describe any="" code="" error="" or="" other="" relevant="" response=""></describe></pre>

/SHOPPINGCART/{ID}

This operation allows partial updates of a shopping cart entity. Support of json/merge (https://tools.ietf.org/html/rfc7386) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optional.

Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

The tables below provide the list of patchable and non patchable attributes, including constraint rules on their usage.

Patchable Attributes	Rule
contactMedium	
cartitem	
relatedParty	
Non Patchable Attributes	Rule
id	
href	

Shopping Cart API Conformance Profile



validFor

cartTotalPrice

contactMedium

cartItem

relatedParty



API DELETE OPERATION CONFORMANCE

<This section is only required if the DELETE operation is marked as mandatory for the basic CONNECT certification>

<Repeat for each resource in the API where DELETE operation can be exercised>

All the DELETE operations in this API share the same status code pattern.

DELETE	0	
Status Code 200	М	
Other Status Codes	NA	<describe any="" code="" error="" or="" other="" relevant="" response=""></describe>

/SHOPPINGCART/{ID}

This operation deletes a shopping cart entity.



API CONFORMANCE TEST SCENARIOS

This section describes the test scenarios required for the basic CONNECT certification of the API.

Test Cases must be executed in the order defined for each resource because the result from one of the scenarios will be input for the next one.

Requests must be addressed to the endpoint provided for certification, specifically they must be addressed to the URI defined by the concatenation of the {apiRoot} and the specific resource, where the {apiRoot} is defined as **{serverRoot}/shoppingCart/v1**, where {serverRoot} defines the certification endpoint

<The section below is a reference example (actual test scenarios may depend on the specific API)>

ShoppingCart resource TEST CASES

Nominal Scenarios

TC_Cust_N1 – Create new shopping cart (including item) with minimum mandatory information

 Send a POST message to {apiRoot}/shoppingCart/ with the following contents in the BODY

{}

Note: there are no mandatory fields for the creation.

- Wait for a response from the server with the following characteristics
 - Response Code 201-Created
 - Include a location header in the body set to /{apiRoot}/shoppingCart/{IDcst1} where {IDcst1} indicates the identifier assigned by the server to the new shopping cart resource
 - The response message includes all mandatory parameters
 - The body of the response matches the values set in the original request
- Send a GET message to /{apiRoot}/shoppingcart/
- Wait for a response from the server with the following characteristics



- Response Code 200-OK
- The body of the response includes one shopping cart resource with ID set to {IDcst1}, the same identifier as assigned by the server to the new resource created
- The response message includes all mandatory parameters
- The body of the response for the resource with identifier {IDcst1} matches the values set in the original request
- Send a GET message to /{apiRoot}/ shoppingCart /{IDcst1}
- Wait for a response from the server with the following characteristics
 - Response Code 200-OK
 - The response message includes all mandatory parameters
 - The body of the response includes a shoppingCart resource structure that matches the values in the original request

TC_ShoppingCart_N2 – Search for shopping cart with specific characteristics

- Send a GET message to /{apiRoot}/shoppingCart
- Wait for a response from the server with the following characteristics
 - Response Code 200-OK
 - The body of the response includes at least one shopping cart resource
 - The body of the response for the resource with each identifier matches the values in the corresponding original request
- Send a GET message to /{apiRoot}/shoppingCart/?relatedParty=cst1
- Wait for a response from the server with the following characteristics
 - Response Code 200-OK



- The body of the response includes one shopping cart resource referring to {IDcst1}
- The response message includes all mandatory parameters
- The body of the response for the resource with identifier {IDcst1} matches the values in the original request



ACKNOWLEDGEMENTS

DOCUMENT HISTORY

VERSION HISTORY

Version Number	Date	Release led by:	Description
1.0	07/15/2015	Pierre Gauthier TM Forum pgauthier@tmforum.org	First Release of Draft Version of the Document.
1.1	03/15/2017		Updated version including Test scenarios
2.0	04/04/2018	Jacob Avraham <jacob.avraham@amdoc s.com></jacob.avraham@amdoc 	
2.0.1	28-Jun-2018	Adrienne Walcott	Formatting/style edits prior to R18 publishing

RELEASE HISTORY

Release Number	Date	Release led by:	Description
Release 18.0.0	25-Jun-2018	Pierre Gauthier	Initial Release